


VETERINARY PRODUCTS FOR DOGS AND CATS



CANINE VACCINES

FELINE VACCINES

HORMONES

ANTIPARASITICS

ANTIMICROBIAL PRODUCTS

DERMATOLOGICS

JOINT NUTRITION

VITAMINS, NUTRITIONAL SUPPLEMENTS

ENVIRONMENTAL DISINFECTANTS AND INSEKTICIDES

ANESTHETICS, ANALGETICS, SEDATIVES

OTHERS



WE *respect* **ANIMALS**

VETERINARY MEDICAMENTS PRODUCER

CANINE VACCINES



Biocan NOVEL DHPPi

Lyophilisate with solvent for injection

Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus and canine parainfluenza virus.

Indications: For active immunization of dogs from 6 weeks of age

Package size: 10 × 1 dose



Biocan NOVEL DHPPi/L4

Lyophilisate with solvent for injection

Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus and four *Leptospira* serovars (*Canicola*, *Icterohaemorrhagiae*, *Grippothyposa* and *Bratislava*)

Indications: For active immunization of dogs from 6 weeks of age

Package size: 10 × 1 dose



Biocan NOVEL DHPPi/L4R

Lyophilisate with solvent for injection

Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus, four *Leptospira* serovars (*Canicola*, *Icterohaemorrhagiae*, *Grippothyposa* and *Bratislava*) and rabies.

Indications: For active immunization of dogs from 8 weeks of age

Package size: 10 × 1 dose



Biocan NOVEL Pi/L4

Lyophilisate with solvent for injection

Vaccine against canine parainfluenza and four *Leptospira* serovars (*Canicola*, *Icterohaemorrhagiae*, *Grippothyposa* and *Bratislava*)

Indications: For active immunization of dogs from 6 weeks

Package size: 10 × 1 dose

CANINE VACCINES



Biocan B

Suspension for injection

Inactivated vaccine against canine Lyme borreliosis

Indications: For active immunization of dogs against Lyme borreliosis from 12 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



Biocan C

Suspension for injection

Inactivated vaccine against canine coronavirus infection

Indications: For active immunization against canine coronavirus infection from 5 weeks of age

Package size: 10 × 1 dose



Biocan DHPPi

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza from 6 weeks of age

Package size: 10 × 1 dose



CANINE VACCINES



Biocan DHPPi + L

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza and vaccine against canine leptospirosis inact.

(*L. icterohaemorrhagiae*, *L. canicola*, *L. grippotyphosa*)

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza, and most common *Leptospira* serovars from 8 weeks of age. **Package size:** 10 × 1 dose



Biocan DHPPi + LR

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus, parainfluenza and inactivated vaccine against leptospirosis and rabies.

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus, parainfluenza, rabies and most common *Leptospira* serovars (*L. icterohaemorrhagiae*, *L. canicola*, *L. grippotyphosa*) from 12 weeks of age

Package size: 10 × 1 dose



Biocan DP

Lyophilisate with solvent for injection

Live vaccine against canine distemper virus (CDV) and canine parvovirus (CPV-2)

Indications: For active immunization of dogs against canine distemper and parvovirus from 6 weeks of age

Package size: 10 × 1 dose



Biocan L

Suspension for injection

Inactivated vaccine against canine *Leptospira* infection

Indications: For active immunization of dogs against *Leptospira* (*L. icterohaemorrhagiae*, *L. canicola*, *L. grippotyphosa*) from 8 weeks of age

Package size: 10 × 1 dose



Biocan LR

Suspension for injection

Inactivated vaccine against canine *Leptospira* and rabies infection

Indications: For active immunization of dogs against rabies and *Leptospira* serovars contained in the vaccine from 12 weeks of age

Package size: 10 × 1 dose

CANINE VACCINES



Biocan M Plus

Suspension for injection

Inactivated vaccine against canine *Microsporum canis*

Indications: For the prevention and therapy of canine dermatophytosis caused by *Microsporum canis* from 8 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



Biocan Puppy

Lyophilisate with solvent for injection

Live canine distemper vaccine and inactivated canine parvovirus vaccine

Indications: For active immunization of dogs against canine distemper and parvovirus from 5 weeks of age

Package size: 10 × 1 dose



Biocan R

Suspension for injection

Inactivated rabies vaccine

Indications: For active immunization of dogs and other target animal species (cats, fur-bearing animals, cattle, horses, sheep, goats, pigs) against rabies from 12 weeks of age

Package size: 10 × 1 dose, 10 × 10 doses



Biocan T

Suspension for injection

Tetanus vaccine

Indications: For active immunization of dogs against tetanus from 12 weeks

Package size: 2 × 1 dose, 10 × 1 dose



Borrelym 3

Suspension for injection

Vaccine against canine Lyme borreliosis

Indications: For active immunization of dogs from 12 weeks of age to induce anti-OspA antibody response to *Borrelia* spp. (*B. burgdorferi sensu stricto*, *B. garinii* and *B. afzelii*)

Package size: 10 × 1 dose

FELINE VACCINES



Biofel B

Suspension for injection

Inactivated vaccine against Lyme borreliosis

Indications: For active immunization of cats against Lyme borreliosis from 12 weeks of age

Package size: 2 × 1 dose



Biofel M Plus

Suspension for injection

Inactivated vaccine against feline Microsporium canis

Indications: For the prevention and therapy of feline dermatophytosis caused by *Microsporium canis* from 8 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



Biofel PCH

Vaccine against feline panleukopenia, herpesvirus and calicivirus infection

Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection from 8 week of age

Package size: 2 × 1 dose, 10 × 1 dose



Biofel PCHR

Vaccine against feline panleukopenia, herpesvirus and calicivirus infection and rabies

Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection and rabies from 12 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose

HORMONES



OXYTOCIN BIO 5 IU/ml solution for injection

Hormonal product

Active substance: Oxytocinum

Indications: To support delivery and puerperal period; to remove the pathological contents of the uterus; endometritis, pyometra and agalaxia in bitches, cows, mares, ewes, goats and sows.

Package size: 50 ml

ANTIPARASITICS



Antiparasitic CANISSHAMPOO

Antiparasitic dog shampoo

Active substance: Permethrin

Indications: Fine and gentle shampoo for hair care in all dog categories and breeds.

Active against fleas and ticks.

Package size: 200 ml



BIO KILL 2.5 mg/ml cutaneous spray, emulsion

Ectoparasitic preparation for dogs, guinea pigs, hamsters and exotic birds

Active substance: Permethrin

Indications: Against fleas, lice, ticks and mites

in dogs, guinea pigs, hamsters and exotic animals; against insects (ants, flies, spiders) and to disinsection pens and nests

Package size: 100 ml, 500 ml



Caniverm oral paste

Antiparasitic for dogs and cats

Active substances: Fenbendazole, pyrantel, praziquantel

Indications: Helminth diseases in dogs and cats

Package size: 4 ml, 10 ml

Caniverm forte tablets

Caniverm mite tablets

Antiparasitic for dogs, cats, felids and canids

Active substances: Fenbendazole, pyrantel, praziquantel

Indications: Diseases caused by ascarides and cestodes in dogs, cats, felids and canids

Package size:

forte: 6 tablets × 0.7 g,
100 tablets × 0.7 g
mite: 6 tablets × 0.175 g

ANTIPARASITICS



FIPRON spot-on for cats

50 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in cats

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days.

Package size: 1 tube × 0.5 ml, 25 tubes × 0.5 ml



FIPRON spot-on for dogs S

67 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 2–10 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days.

Package size: 1 tube × 0.67 ml, 25 tubes × 0.67 ml



FIPRON spot-on for dogs M

134 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 10–20 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days.

Package size: 1 tube × 1.34 ml, 25 tubes × 1.34 ml



FIPRON spot-on for dogs L

268 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 20–40 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days.

Package size: 1 tube × 2.68 ml, 25 tubes × 2.68 ml



FIPRON spot-on for dogs XL

402 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs over 40 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days.

Package size: 1 tube × 4.02 ml, 25 tubes × 4.02 ml

ANTIPARASITICS



FIPRON 2.5 mg/ml cutaneous spray, solution

Antiparasitic against fleas, ticks and biting lice in dogs and cats

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days.

Package size: 100 ml, 250 ml

TOP SPOT ON DOG, spot-on solutions for dogs

Therapeutic and preventive use in dogs against ectoparasites – fleas and ticks.

Recommended dose of the TOP SPOT ON DOG provides protection against ticks infestation for 4 weeks and against fleas infestation for 3 months.



TOP SPOT ON DOG S, spot-on solution for dogs

1 applicator (1 ml) of the solution contains 650 mg permethrinum.

For dogs under 15 kg.



TOP SPOT ON DOG M, spot-on solution for dogs

1 applicator (2 ml) of the solution contains 1300 mg permethrinum.

For dogs from 15 to 30 kg.



TOP SPOT ON DOG L, spot-on solution for dogs

1 applicator (3 ml) of the solution contains 1950 mg permethrinum.

For dogs over 30 kg.

Package size: 1 or 10 applicators

ANTIMICROBIAL PRODUCTS



AMOXICILLIN Bioveta 150 mg/ml

LA suspension for injection

Injectable antibiotic for dogs and other target animal species (cattle, sheep, pigs)

Active substance: Amoxicillinum

Indications: Treatment of diseases caused by pathogens sensitive to amoxicillin in dogs, cattle, sheep and pigs.

Package size: 100 ml, 250 ml

DERMATOLOGICS



ALAPTID veterinary ointment

Veterinary dermatologic with a healing effect on wounds

Active substance: Alaptide

Indication: Highly healing ointment. For use in all warm-blooded non-food animals to treat small skin and mucosa injuries, burns, abrasions, frostbites, bedsores, dog paws damaged by salted pavements in winter, etc.

Package size: 20 g



BIOPIROX 10 mg/ml cutaneous spray, solution

Antimycotic spray for local application

Active substance: Piroctolamine

Indications: Treatment of mycotic skin diseases induced by dermatophytic fungi in dogs, cats, fur-bearing and small animals. **Package size:** 100 ml



Biodexin shampoo

Medicinal antiseptic containing shampoo for dogs and cats

Active substance: 4% chlorhexidine

Indications: The strong antiseptic effect of chlorhexidine allows the use in cases where the washing, antiseptic and the deodorizing effect have to be combined.

Package size: 250 ml, 500 ml



Biodexin ear lotion, solution

Otological product, ear drops with chlorhexidine for dogs

Active substance: Chlorhexidine

Indications: Ear cleaner with antibacterial effect. For application to the external auditory canal of dogs. Excellent bactericidal effect. Effective against yeast. Anti-inflammatory effect.

Package size: 100 ml



OTOFIN ear solution, lotion

Cleaner for preventive care of the auditory canal of dogs and cats

Indications: Product dissolves earwax, effective in cleaning and drying the ear. Vegetable essential oils of marigold, lavender, basil and chamomile have calming and healing effects

Package size: 100 ml



OTIPUR sol.

Ear cleaner with antiseptic properties for dogs and cats

Indications: For gentle cleaning of dog's or cat's ears. Dissolves and removes cerumen and impurities. Excellent keratolytic effect. Antiseptic action.

Package size: 60 g, 200 g

DERMATOLOGICS



OTIBIOVIN ear drops, solution

Otological product with effective combination of antibiotics, disinfecting and soothing agents

Active substances: Triamcinoloni acetonidum, Acidum salicylicum, Gentamicini sulfas, Carbethopendecinii bromidum

Indications: Otitis externa in dogs and cats caused by microorganisms sensitive to the active substances in the product.

Package size: 15 ml



OTIMIX ear drops, suspension

Otological product with the effective combination antibiotics and corticosteroids

Active substances: polymyxin B, miconazole, prednisolone

Indications: Treatment of acute forms of otitis externa in dogs

Package size: 15 ml

JOINT NUTRITION



HYALCHONDRO DC PLUS

Food supplement for dogs

Hyaluronan – chondroitin complex with manganese and vitamin E.

Indications: Joint nutrition. Food supplement to support proper development and function of the locomotor system in all dog breeds. It is used in case of increased demands for the locomotor system of dogs during their growth, training or work, following injuries to support and restore the function of the locomotor system.

Package size: 120 ml



HYALURONAN Bioveta 10 mg/ml

solution for injection

Injectable hyaluronan for use in dogs, cats and horses in orthopaedics and ophthalmology

Active substance: Natrii hyaluronas

Indications: Orthopaedic indications (IV application) –

arthrosis, polyarthrosis; subacute and chronic arthritis; tendovaginitis, tendinosis and bursitis; osteochondrosis.

Ophthalmologic indications – acute and chronic keratitis; conjunctivitis, keratoconjunctivitis and other problems

Package size: 5 × 6 ml

VITAMINS, NUTRITIONAL SUPPLEMENTS



ADE - vit. solution for injection

Solution for injection containing vitamins A, D2 and E intended for dogs and other target animal species (cattle, horses, pigs, sheep, goats and rabbits)

Indications: Hypovitaminosis and avitaminosis A, D2 and E; growth and metabolism disorders in young domestic animals, myodystrophy in lambs and calves; rachitis, osteomalacia, disorders caused by low calcium level in the body, support of bone fracture healing and proper tooth development, exudative epidermitis in piglets; adjunctive therapy of sterility of unknown etiology, prophylaxis of embryonic mortality and foetal development disorders in the prenatal period, etc.

Package size: 100 ml, 500 ml



PLASTIN

Mineral food supplement for dogs and other target species (pigs, poultry)

Indications: The product is intended as a mineral supplement to daily feed intake.

Package size: 1 kg, 5 kg



VITAPLASTIN FORTE

Mineral food supplement for dogs and other target species (horses, cattle, colts, calves, rabbits)

Indications: The product is intended as a mineral and trace element supplement to daily feed intake.

Package size: 1 kg, 5 kg

VITAPLASTIN TABLETS

Mineral food supplement for dogs and cats

Indications: The product is intended as a mineral and trace element supplement to daily feed intake.

Package size: 150 tablets



ENVIRONMENTAL DISINFECTANTS AND INSEKTICIDES



IVASAN spray

Disinfecting agent effective against viruses, bacteria and fungi intended for use in veterinary and breeding facilities for direct spraying

Active substances: Quarternary ammonium salts and PHMG
Indications: For the disinfection of surfaces, areas and objects such as cages, boxes, pet beds, toilets, toys, bowls or waterers. Removes odours, does not irritate mucosa or skin. No stains.
Package size: 500 ml

IVASAN pets

Concentrated liquid product for the disinfection of all washable areas, surfaces and medical equipment in veterinary clinics, breeding utensils and equipment. Highly effective against viruses, bacteria and fungi.

Active substances: Quarternary ammonium salts and PHMG

Indications: For cleaning floors, washing walls and surfaces of stalls, cotes and aviaries in households, shelters, rescue stations etc., for the disinfection of breeding utensils and equipment, for the disinfection of medical equipment. Removes odours, does not irritate mucosa or skin. No stains.

Package size: 1 litre, 3 litres



ANESTHETICS, ANALGETICS, SEDATIVES

NALGOSED 10 mg/ml

solution for injection

The product contains butorphanol, an analgesic with an opioid, central action

1 ml of the product contains butorphanol 10 mg

Indication: The product is indicated for the management of analgesia and sedation in horses; for the management of analgesia, sedation and preanaesthesia in dogs and cats.

Package: 10 ml



Narkamon 50 mg/ml

solution for injection

Injectable 5% ketamine preparation

Active substance: Ketaminum (ut hydrochloridum)

Indications: Short-term narcosis of dogs, cats and other target species (horse, donkey) for diagnostic and therapeutic procedures

Package size: 50 ml



ANAESTHETICS



Narkamon 100 mg/ml

solution for injection

Injectable 10% ketamine preparation

Active substance: *Ketaminum (ut hydrochloridum)*

Indications: Short-term narcosis of dogs, cats and other target species (horse, cattle, pigs, sheep, goats, wild animals, small animals and birds) for diagnostic and therapeutic procedures

Package size: 10 ml, 50 ml



Rometar 20 mg/ml solution for injection

Injectable preparation containing xylazine

Active substance: *Xylazinum (ut Xylazini hydrochloridum)*

Indications: Depending on the dose, method of administration and animal species, the product has different sedative, analgesic, anaesthetic and muscle relaxant effects; target animal species: dogs, cats, horses, cattle and zoo animals (red deer, roe deer and fallow deer)

Package size: 50 ml

OTHERS



PENBITAL 400 mg/ml

injection solution

Gentle preparation for euthanasia without adverse reactions containing pentobarbital

Composition: Product contains *pentobarbitalum natricum* 400,0 mg (362,94 mg of pentobarbital) in one ml.

Indication: Euthanasia.

Package: 100 ml.



COFFEINUM BIOVETA 125 mg/ml

solution for injection

Injectable preparation containing caffeine

Active substance: *Coffeinum*

Indications: Acute general weakness, collapse or shock as a manifestation of depression or paralysis of central nervous system, postoperative coma, cardiac insufficiency and other cases of damage or exhaustion and depressive condition in dogs, cats, horses, cattle, pigs, sheep and goats

Package size: 50 ml



WE respect ANIMALS

VETERINARY MEDICAMENTS PRODUCER

Bioveta, a. s.

Komenského 212
683 23 Ivanovice na Hané
Czech Republic

For further information contact:
MVDr. Michaela TRNĚNÁ

Product manager – companion
animals and horses
mobil: +420 517 318 638
e-mail: trnena.michaela@bioveta.cz
www.bioveta.cz

