













# VETERINARY BIOLOGICS AND MEDICAMENTS FOR DOGS AND CATS

VACCINES FOR CATS

**VACCINES FOR DOGS** 

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

**DERMATOLOGICAL PRODUCTS** 

VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES

ANTIFLOGISTICS

**ANALEPTICS, ANAESTHETICS, HYPNOTICS** 

DISINFECTING PRODUCTS

**OTHER PRODUCTS** 



VETERINARY MEDICAMENTS PRODUCER

#### **VACCINES FOR CATS**



#### **Biofel B**

Suspension for injection Inactivated vaccine against Lyme borreliosis Indications: For active immunization of cats against Lyme borreliosis from 12 weeks of age Package size: 2 × 1 dose



#### **Biofel M Plus**

Suspension for injection Inactivated vaccine against Microsporum canis Indications: For the prevention and therapy of feline dermatophytosis caused by Microsporum canis from 8 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



#### **Biofel PCH**

Inactivated vaccine against feline panleukopenia, herpesvirus and calicivirus infection Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection from 8 week of age Package size: 2 × 1 dose, 10 × 1 dose



#### **Biofel PCHR**

Inactivated vaccine against feline panleukopenia, herpesvirus and calicivirus infection and rabies Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection and rabies from 12 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



#### **VACCINES FOR DOGS**



#### **Biocan Novel Puppy**

Lyophilisate with solvent for injection for dogs Vaccine containing live strains CPV 2b and CDV intended to vaccinate puppies from 6 weeks of age **Composition:** Virus febris contagiosae canis, strain CDV Bio 11/A, live attenuated  $10^{4.1}$  TCID<sub>50</sub> –  $10^{5.5}$ TCID<sub>50</sub>, Parvovirus canis typ 2b, strain CPV-2b Bio 12/B, live attenuated  $10^{5.5}$  TCID<sub>50</sub>– $10^{7.0}$  TCID<sub>50</sub> **Indications:** For active imunization of dogs from 6 weeks of age **Package size:**  $10 \times 1$  dose



#### VACCINES FOR DOGS

#### Bocan NOVEL Pi/L4

Lyophilisate with solvent for injection Vaccine against canine parainfluenza and four Leptospira serovars (Canicola, Icterohaemorrhagiae, Grippothyposa and Bratislava) Indications: For active immunization of dogs from 6 weeks Package size: 10 × 1 dose



#### **Biocan Novel R**

Suspension for injection Active substance: 1 ml (1 dose) contains: Virus rabiei inactivatum strain SAD Vnukovo-32 > 2.0 IU Indication: For active immunization of dogs against rabies

Package size: 10×1 ml and 10×10 ml



#### **Biocan NOVEL DHPPi**

Lyophilisate with solvent for injection

Live vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus and canine parainfluenza virus. Indications: For active immunization of dogs from 6 weeks of age Package size: 10 × 1 dose



#### Biocan NOVEL DHPPi/L4

Lyophilisate with solvent for injection Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus and four Leptospira serovars (Canicola, Icterohaemorrhagiae, Grippothyposa and Bratislava) Indications: For active immunization of dogs from 6 weeks of age Package size: 10 × 1 dose



#### Biocan NOVEL DHPPi/L4R

Lyophilisate with solvent for injection

Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus, four Leptospira serovars (Canicola, Icterohaemorrhagiae, Grippothyposa and Bratislava) and rabies. Indications: For active immunization of dogs from 8 weeks of age Package size: 10 × 1 dose



#### **Biocan NOVEL Respi**

Live attenuated intranasal vaccine against B. bronchiseptica and canine parainfluenza for dogs, for intranasal application

Active substances:One dose of the vaccine (0.5 ml)contains:Live attenuated Bordetella bronchisepticastrain MSLB 3096 $10^{8.0} - 10^{9.8}$  CFULive attenuated Canine parainfluenza Type 2 virus,strain CPiV-2 Bio 15 $10^{3.5} - 10^{5.8}$  CCID<sub>50</sub>Indication:Active immunization of puppies (since

the age of 3 weeks) and adult dogs against kennel cough caused by *B. bronchiseptica* and canine parainfluenza type 2

**Package size:** 5 or 10 plastic vials each containing 1 dose (0.5 ml) of the vaccine and corresponding diluent

#### **VACCINES FOR DOGS**



#### **Biocan Puppy**

Lyophilisate with solvent for injection Live canine distemper vaccine and inactivated canine parvovirus vaccine Indications: For active immunization of dogs against canine distemper and parvovirosis from 5 weeks of age Package size: 10 × 1 dose



### VACCINES FOR DOGS

#### **Biocan DHPPi + L** Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza and inactivated vaccine against canine leptospirosis inact. (L. icterohaemorrhagiae, L. canicola, L. grippotyphosa)

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza and most common

parvovirosis and parainfluenza and most common Leptospira serovars from 8 weeks of age **Package size:** 10 × 1 dose



#### Biocan DP

Lyophilisate with solvent for injection Live vaccine against canine distemper virus (CDV) and canine parvovirus (CPV-2) Indications: For active immunization of dogs against canine distemper and parvovirosis from 6 weeks of age Package size: 10 × 1 dose



#### Biocan DHPPi + LR

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis, parainfluenza and inactivated vaccine against leptospirosis and rabies

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis, parainfluenza, rabies and most common Leptospira serovars (*L. icterohaemorrhagiae, L. canicola, L. grippotyphosa*) from 12 weeks of age Package size: 10 × 1 dose



#### Biocan DHPPi

#### Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza from 6 weeks of age Package size: 10 × 1 dose



#### Biocan LR

Suspension for injection Inactivated vaccine against canine Leptospira and rabies infection Indications: For active immunization of dogs against rabies and Leptospira serovars contained in the vaccine from 12 weeks of age Package size: 10 × 1 dose



#### **Biocan L**

Suspension for injection Inactivated vaccine against canine Leptospira infection Indications: For active immunization of dogs against Leptospira (L. icterohaemorrhagiae, L. canicola, L. grippotyphosa) from 8 weeks of age Package size: 10 × 1 dose



## Biocan R

Suspension for injection Inactivated rabies vaccine

Indications: For active immunization of dogs and other target animal species (cats, fur-bearing animals, cattle, horses, sheep, goats, pigs) against rabies from 12 weeks of age Package size: 10 × 1 dose, 10 × 10 doses

#### **VACCINES FOR DOGS**



#### Biocan B

#### Suspension for injection

Inactivated vaccine against canine Lyme borreliosis Indications: For active immunization of dogs against Lyme borreliosis from 12 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



#### Borrelym 3

#### Suspension for injection

Vaccine against canine Lyme borreliosis Indications: For active immunization of dogs from 12 weeks of age to induce anti-OspA antibody response to Borrelia spp. (*B. burgdorferi sensu stricto, B. garinii* and *B. afzelii*) Package size: 10 × 1 dose



#### **Biocan C**

Suspension for injection Inactivated vaccine against canine coronavirus infection Indications: For active immunization against canine

coronavirus infection from 5 weeks of age **Package size:** 10 × 1 dose



#### **Biocan M Plus**

Suspension for injection Inactivated vaccine against canine Microsporum canis Indications: For the prevention and therapy of canine dermatophytosis caused by Microsporum canis from 8 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



#### **Biocan T**

Suspension for injection Tetanus vaccine Indications: For active immunization of dogs against tetanus from 12 weeks Package size: 2 × 1 dose, 10 × 1 dose



#### ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



#### Antiparasitic CANISSHAMPOO

Antiparasitic dog shampoo Active substance: Permethrin Indications: Fine and gentle shampoo for hair care in all dog categories and breeds Active against fleas and ticks Package size: 200 ml

#### ANTIPARASITIC PRODUCTS FOR DOGS AND CATS





#### **Caniverm forte tablets**

Antiparasitic agent against round worms and tapeworms for oral administration Active substances: ·

Fenbendazolum 150.0 mg Pyranteli embonas 144.0 mg Praziquantelum 50.0 mg Fish aroma – sardine fish aroma is added to enhance tablet take up by the animals **Target species:** Dogs, cats, wild canidae a felidae **Indication:** Prevention, control and treatment of canine and feline gastrointestinal (GIT) helminth parasites

**Package size:** 2 tablets, 6 tablets and 100 tablets. 10 vials each 0.5 ml of the lyophilized part (1 dose) and  $10 \times 0.5$  ml diluent packed in one box



#### Caniverm oral paste

Antiparasitic for dogs and cats Active substances: Fenbendazole, pyrantel, praziquantel Indications: Helminth diseases in dogs and cats Package size: 4 ml, 10 ml



ANIVERM

#### Caniverm mite tablets

Antiparasitic agent against round worms and tapeworms for oral administration Active substances:

Fenbendazolum 37.5 mg Pyranteli embonas 36.0 mg Praziquantelum 12.5 mg Fish aroma – sardine fish aroma is added to enhance tablet take up by the animals **Target species:** Dogs, cats, wild canidae a felidae **Indications:** Prevention, control and treatment of canine and feline gastrointestinal (GIT) helminth parasites

**Package size:** 2 tablets, 6 tablets and 100 tablets. 10 vials each 0.5 ml of the lyophilized part (1 dose) and 10 × 0.5 ml diluent packed in one box

#### ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



#### FIPRON spot-on for cats

**50 mg spot-on solution** Antiparasitic agent against fleas, ticks and biting lice in cats

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days Package size: 1 tube × 0.5 ml, 25 tubes × 0.5 ml



#### FIPRON spot-on for dogs S

67 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 2–10 kg Active substance: Fipronil Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 1 tube × 0.67 ml, 25 tubes × 0.67 ml



#### FIPRON spot-on for dogs M 134 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 10–20 kg Active substance: Fipronil Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days Package size: 1 tube × 1.34 ml, 25 tubes × 1.34 ml



#### **FIPRON spot-on for dogs L**

268 mg spot-on solution Antiparasitic agent against fleas, ticks and biting lice in dags weighing 20–40 kg Active substance: Fipronil Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days Package size: 1 tube × 2.68 ml, 25 tubes × 2.68 ml



#### **FIPRON spot-on for dogs XL**

#### **402 mg spot-on solution** Antiparasitic agent against fleas, ticks and biting lice in dogs over 40 kg

Active substance: Fipronil Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days Package size: 1 tube × 4.02 ml, 25 tubes × 4.02 ml

#### ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



#### FIPRON 2.5 mg/ml cutaneous spray, solution

Antiparasitic against fleas, ticks and biting lice in dogs and cats

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days Package size: 100 ml, 250 ml



#### ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

#### TOP SPOT ON DOG, spot-on solutions for dogs

Therapeutic and preventive use in dogs against ectoparasites - fleas and ticks

Recommended dose of the TOP SPOT ON DOG provides protection against ticks infestation for 4 weeks and against fleas infestation for 3 months.



**TOP SPOT ON DOG S, spot-on solution for dogs** 1 applicator (1 ml) of the solution contains 650 mg permethrinum. For dogs under 15 kg.



**TOP SPOT ON DOG M, spot-on solution for dogs** 1 applicator (2 ml) of the solution contains 1300 mg permethrinum. For dogs from 15 to 30 kg.



**TOP SPOT ON DOG L, spot-on solution for dogs** 1 applicator (3 ml) of the solution contains 1950 mg permethrinum. For dogs over 30 kg.

Package size: 1 or 10 applicators



#### **DERMATOLOGICAL PRODUCTS**



#### ALAPTID veterinary ointment

Veterinary dermatologic with a healing effect on wounds

Active substance: Alaptide

Indication: Highly healing ointment. For use in all warm-blooded non-food animals to treat small skin and mucosa injuries, burns, abrasions, frostbites, bedsores, dog paws damaged by salted pavements in winter, etc. Package size: 20 g



#### BIOPIROX 10 mg/ml cutaneous spray, solution Antimycotic spray for local application Active substance: Piroctolamine Indications: Treatment of mycotic skin diseases induced by dermatophytic fungi in dogs, cats.

fur-bearing and small animals Package size: 100 ml



#### **BIODEXIN** shampoo

Medicinal antiseptic containing shampoo for dogs and cats

Active substance: 4% chlorhexidine Indications: The strong antiseptic effect of chlorhexidine allows the use in cases where the washing, antiseptic and the deodorizing effect have to be combined Package size: 250 ml, 500 ml



#### **BIODEXIN** ear lotion, solution

Otological product, ear drops with chlorhexidine for dogs Active substance: Chlorhexidine Indications: Ear cleaner with antibacterial effect. For application to the external auditory canal of dogs. Excellent bactericidal effect. Effective against candida. Anti-inflammatory effect. Package size: 100 ml



#### **OTOFIN** ear solution, lotion

Cleaner for preventive care of the auditory canal of dogs and cats Indications: Product dissolves earwax, effective in cleaning and drying the ear. Vegetable essential oils of marigold, lavender, basil and chamomile have calming and healing effects Package size: 100 ml

#### **DERMATOLOGICAL PRODUCTS**



#### **OTIPUR** sol.

Traditional ear cleaner with antiseptic properties for dogs and cats Indications: For gentle cleaning of dog's or cat's ears. Dissolves and removes cerumen and impurities. Excellent keratolytic effect. Antiseptic action Package size: 60 g, 200 g



#### **OTIBIOVIN ear drops, solution**

Otological product with effective combination of antibiotics, disinfecting and soothing agents Active substances: Triamcinoloni acetonidum, Acidum salicylicum, Gentamicini sulfas, Carbethopendecinii bromidum Indications: Otitis externa in dogs and cats caused by microorganisms sensitive to the active substances in the product Package size: 15 ml



#### OTIMIX ear drops, suspension

Otological product with the effective combination antibiotics and corticosteroids Active substances: polymyxin B, miconazole, prednisolone Indications: Treatment of acute forms of otitis externa in dogs Package size: 15 ml



#### VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES

#### VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES



#### ADE - vit. solution for injection

Solution for injection containing vitamins A, D2 and E intended for dogs and other target animal species (cattle, horses, pigs, sheep, goats and rabbits) Indications: Hypovitaminosis and avitaminosis A, D2 and E; growth and metabolism disorders in young domestic animals, myodystrophy in lambs and calves; rachitis, osteomalacia, disorders caused by low calcium level in the body, support of bone fracture

healing and proper tooth development, exudative epidermitis in piglets; adjunctive therapy of sterility of unknown etiology, prophylaxis of embryonic mortality and foetal development disorders in the prenatal period, etc. **Package size:** 100 ml, 500 ml



#### PLASTIN

Mineral food supplement for dogs and other target species (pigs, poultry) Indications: The product is intended as a mineral supplement to daily feed intake Package size: 1 kg, 5 kg



#### **VITAPLASTIN FORTE**

Mineral food supplement for dogs and other target species (cattle, sheep, goats, pig, horse, silver fox, rabbit, poultry, exotic birds) Indications: The product is intended as a mineral and trace element supplement to daily feed intake Package size: 1 kg, 5 kg



#### ATLET SIRUP

Food supplement for dogs and cats Indication: Sirup for oral use to protect and regeneration of dogs and cats musculoskeletal system.It improves mobility and activity, relieves pain of joints and muscles, easy to apply Package size: 250 ml



#### HYALCHONDRO DC PLUS

Food supplement for dogs

Hyaluronan – chondroitin complex with manganese and vitamin E

Indications: Joint nutrition. Food supplement to support proper development and function of the locomotor system in all dog breeds. It is used in case of increased demands for the locomotor system of dogs during their growth, training or work, following injuries to support and restore the function of the locomotor system Package size: 120 ml

#### **KELPA BIOVETA**





#### ANTIFLOGISTICS

#### MELOXICAM Bioveta 5 mg/ml injection



NSAID drug in injection solution with rapid onset of analgetic and anti inflamatory effect for dogs and cats

Active substance: *Meloxicamum* 5 mg/ml Indications:

Dogs: Analgetic and anti inflamatory effect in musculosceletar, inflamatory diseases and as a analgetic drug after surgery Cats: As analgetic drug after soft tissue surgery Package size: 10 ml



#### ANTIFLOGISTICS

## MELOXICAM Bioveta 1,5 mg/ml peroral suspension for dogs

Anti inflammatory and analgesic drug in suspension (NSAID) for dogs form 6 weeks of age in orthopedic, surgery and anti inflammatory indications **Active substance:** *Meloxicamum* 1,5 mg/ml **Indications:** Analgetic and anti inflamatory effect in musculosceletar, inflamatory diseases Suspension for peroral application with 1 and 5ml applicators. Applicators are included **Package size:** 10 ml, 100 ml





#### ANALEPTICS, ANAESTHETICS, HYPNOTICS

#### COFFEINUM BIOVETA 125 mg/ml

solution for injection Injectable preparation containing caffeine Active substance: Coffeinum Indications: Acute general weakness, collapse or shock as a manifestation of depression or paralysis of central nervous system, postoperative coma, cardiac insufficiency and other cases of damage or exhaustion and depressive condition in dogs, cats, horses, cattle, pigs, sheep and goats Package size: 50 ml



#### ROMETAR 20 mg/ml solution for injection

Injectable preparation containing xylazine Active substance: Xylazinum (ut Xylazini hydrochloridum)

Indications: Depending on the dose, method of administration and animal species, the product has different sedative, analgesic, anaesthetic and muscle relaxant effects; target animal species: dogs, cats, horses, cattle and zoo animals (red deer, roe deer and fallow deer) Package size: 50 ml

HALGOSED WILLIONE HILLIONE HILIONE HILLIONE HILLION

#### NALGOSED 10 mg/ml

solution for injection The product contains butorphanol, an analgesic with an opioid, central action Active substance: Butorphanol 1 ml of the product contains butorphanol 10 mg Indication: The product is indicated for the management of analgesia and sedation in horses; for the management of analgesia, sedation and preanaesthesia in dogs and cats Package size: 10 ml



#### SEDAN 35 mg/ml

ANALEPTICS, ANAESTHETICS, HYPNOTICS

Peroral gel for horses and dogs Active substance: Acepromazinum Indications:

Horses and dogs sedations for reasons of restlessness, nervousness, tetanus, lumbago, fixation prior to examination and during treatment, before animal transport. Also acts as an antiemetic **Package size:** 1×1 ml, 1×10 ml



#### NARKAMON 50 mg/ml

solution for injection Injectable 5% ketamine preparation Active substance: Ketaminum (ut hydrochloridum) Indications: Short-term narcosis of dogs, cats and other target species (horse, donkey) for diagnostic and therapeutic procedures Package size: 50 ml



#### NARKAMON 100 mg/ml

solution for injection Injectable 10% ketamine preparation Active substance: Ketaminum (ut hydrochloridum) Indications: Short-term narcosis of dogs, cats and other target species (horse, cattle, pigs, sheep, goats, wild animals, small animals and birds) for diagnostic and therapeutic procedures Package size: 10 ml, 50 ml



#### **DISINFECTING PRODUCTS**



Disinfectant against bacteria, viruses, mold and protozoa

Active substances: *lodopovidonum* Indications: To skin and mucous membrane

desinfect, for desinfection of operative, injection and castration fields, external genitalia, umbilicus veins of newborn animals, to wash the wound. For use in surface desinfection of teats, mammary glands

Package size: 20 ml, 200 ml, 1000 ml



#### **IVASAN** spray

Disinfecting agent effective against viruses, bacteria and fungi intended for use in veterinary and breeding facilities for direct spraying **Active substances:** Quarternary ammonium salts and PHMG

Indications: For the disinfection of surfaces, areas and objects such as cages, boxes, pet beds, toilets, toys, bowls or waterers. Removes odours, does not irritate mucosa or skin. No stains Package size: 500 ml



#### **IVASAN** pets

Concentrated liquid product for the disinfection of all washable areas, surfaces and medical equipment in veterinary clinics, breeding utensils and equipment. Highly effective against viruses, bacteria and fungi Active substances: Quarternary ammonium salts and PHMG

Indications: For cleaning floors, washing walls and surfaces of stalls, cotes and aviaries in households, shelters, rescue stations etc., for the disinfection of breeding utensils and equipment, for the disinfection of medical equipment. Removes odours, does not irritate mucosa or skin. No stains Package size: 1 litre, 3 litres



#### **OTHER PRODUCTS**



#### AMOXICILLIN Bioveta 150 mg/ml LA

#### suspension for injection

Injectable antibiotic for dogs and other target animal species (cattle, sheep, pigs) Active substance: Amoxicillinum Indications: Treatment of diseases caused by patogens sensitive to amoxicillin in dogs, cattle, sheep and pigs Package size: 100 ml, 250 ml



#### OXYTOCIN BIO 5 IU/ml solution for injection

**OTHER PRODUCTS** 

Hormonal product Active substance: Oxytocinum Indications: To support delivery and puerperal period; to remove the pathological contents of the uterus; endometritis, pyometra and agalaxia in bitches, cows, mares, ewes, goats and sows. Package size: 50 ml

# 130

#### RABADROP

Oral suspension of live attenuated bait vaccine against rabies

Active substance:

Rabies virus SAD Clone attenuated  $1.8 \times 10^{60}$  TCDI<sub>50</sub> –  $1.8 \times 10^{85}$  TCDI<sub>50</sub> in 1.8 ml Stabilization medium and biat is composed of beef tallow, palm oil, fish meal, hard paraffin, biomarker (tetracycline hydrochloride)

**Target species:** Red fox (*Vulpes vulpes*) and raccoon dog (*Nyctereutes procyonoides*) **Indication:** For active immunization of wild red

foxes and raccoon dogs against rabies

Package size: Every bait contains one dose of the vaccine

a) For manual placement/scattering 20 or 30 pieces of the bait are packed in one cardboard and in multiple packaging of 30×20 pieces/ PE plastic bags
b) For aerial scattering PE bag containing 2×350 pieces or sleeve containing 700 pieces placed in cardboard



#### HYALURONAN Bioveta 10 mg/ml

#### solution for injection

Injectable hyaluronan for use in dogs, cats and horses in orthopaedics and ophthalmology Active substance: Natrii hyaluronas Indications: Orthopaedic indications (IV application) – arthrosis, polyarthrosis; subacute and chronic arthritis; tendovaginitis, tendinosis and bursitis; osteochondrosis. Ophthalmologic indications – acute and chronic keratitis; conjunctivitis, keratoconjunctivitis and other problems Package size: 5 × 6 ml

#### PENBITAL Eutha 400 mg/ml

#### Solution for injection

Active substance: Pentobarbital sodium 400.0 mg (equivalent to 362.94 mg pentobarbital) Target species: Pet and exotic animals: dogs, cats, rabbits, hares, aesthetic birds, pigeons, turtles, snacks, frogs, lizards, guinea pigs, minks, polecats,

hamsters, rats and mice Livestock: cattle, horses, ponies, pigs, poultry (not intended for slaughter/human consumption) Indication: Euthanasia

**Dosage:** Dose for each animal/animal species depends on body weight and route of administration. For proper application refer to the insert leaflet

Route of adminstration: Usually intravenous (IV). Less common routes – intracardiac (IC) and intrapulmonary (deep sedation or anesthesia needed), intraabdominal and intraperitoneal (IP) Package size: 100 ml







VETERINARY MEDICAMENTS PRODUCER

Bioveta, a. s. Komenského 212/12 683 23 Ivanovice na Hané Czech Republic www.bioveta.cz







Product manager – companion animals

