







VETERINARY BIOLOGICS AND MEDICAMENTS FOR DOGS AND CATS



VACCINES FOR CATS

VACCINES FOR DOGS

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

DERMATOLOGICAL PRODUCTS

VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES

ANTIFLOGISTICS

ANALEPTICS, ANAESTHETICS, HYPNOTICS

DISINFECTING PRODUCTS

OTHER PRODUCTS



WErespect**ANIMALS**

VETERINARY MEDICAMENTS PRODUCER

VACCINES FOR CATS



Biofel B

Suspension for injection

Inactivated vaccine against Lyme borreliosis

Indications: For active immunization of cats against Lyme borreliosis from 12 weeks of age

Package size: 2 × 1 dose



Biofel M Plus

Suspension for injection

Inactivated vaccine against Microsporum canis

Indications: For the prevention and therapy of feline dermatophytosis caused by *Microsporum canis* from 8 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



Biofel PCH

Inactivated vaccine against feline panleukopenia, herpesvirus and calicivirus infection

Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection from 8 week of age

Package size: 2 × 1 dose, 10 × 1 dose



Biofel PCHR

Inactivated vaccine against feline panleukopenia, herpesvirus and calicivirus infection and rabies

Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection and rabies from 12 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



VACCINES FOR DOGS



Biocan Novel Puppy

Lyophilisate and solvent for suspension for injection
Vaccine containing live strains CPV 2b and CDV intended to vaccinate puppies from 6 weeks of age

Composition: *Virus febris contagiosae canis*, strain CDV Bio 11/A, live attenuated $10^{4.1}$ TCID₅₀ – $10^{5.5}$ TCID₅₀, *Parvovirus canis* typ 2b, strain CPV-2b Bio 12/B, live attenuated $10^{5.5}$ TCID₅₀– $10^{7.0}$ TCID₅₀

Indications: For active immunization of dogs from 6 weeks of age

Package size: 10 × 1 dose



Biocan NOVEL DHPPi

Lyophilisate and solvent for suspension for injection
Live vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus and canine parainfluenza virus.

Indications: For active immunization of dogs from 6 weeks of age

Package size: 10 × 1 dose



Biocan NOVEL DHPPi/L4

Lyophilisate and solvent for suspension for injection
Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus and four *Leptospira* serovars (*Canicola*, *Icterohaemorrhagiae*, *Grippothyposa* and *Bratislava*)

Indications: For active immunization of dogs from 6 weeks of age

Package size: 10 × 1 dose



Biocan NOVEL DHPPi/L4R

Lyophilisate and solvent for suspension for injection
Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus, four *Leptospira* serovars (*Canicola*, *Icterohaemorrhagiae*, *Grippothyposa* and *Bratislava*) and rabies.

Indications: For active immunization of dogs from 8 weeks of age

Package size: 10 × 1 dose

VACCINES FOR DOGS



Bocan NOVEL Pi/L4

Lyophilisate and solvent for suspension for injection
Vaccine against canine parainfluenza and four *Leptospira* serovars (*Canicola*, *Icterohaemorrhagiae*, *Grippothyposa* and *Bratislava*)

Indications: For active immunization of dogs from 6 weeks

Package size: 10 × 1 dose



Biocan Novel R

Suspension for injection

Active substance: 1 ml (1 dose) contains:

Virus rabiei inactivatum strain

SAD Vnukovo-32 > 2.0 IU

Indication: For active immunization of dogs against rabies

Package size: 10×1 ml and 10×10 ml



Biocan NOVEL Respi

Live attenuated intranasal vaccine against *B. bronchiseptica* and canine parainfluenza for dogs, for intranasal application

Active substances: One dose of the vaccine (0.5 ml) contains: Live attenuated *Bordetella bronchiseptica* strain MSLB 3096 $10^{8.0}$ – $10^{9.8}$ CFU

Live attenuated Canine parainfluenza Type 2 virus, strain CPIV-2 Bio 15 $10^{3.5}$ – $10^{5.8}$ CCID₅₀

Indication: Active immunization of puppies (since the age of 3 weeks) and adult dogs against kennel cough caused by *B. bronchiseptica* and canine parainfluenza type 2

Package size: 5 or 10 plastic vials each containing 1 dose (0.5 ml) of the vaccine and corresponding diluent

VACCINES FOR DOGS



Biocan Puppy

Lyophilisate and solvent for suspension for injection
Live canine distemper vaccine and inactivated canine parvovirus vaccine

Indications: For active immunization of dogs against canine distemper and parvovirus from 5 weeks of age
Package size: 10 × 1 dose



Biocan DP

Lyophilisate and solvent for suspension for injection
Live vaccine against canine distemper virus (CDV) and canine parvovirus (CPV-2)

Indications: For active immunization of dogs against canine distemper and parvovirus from 6 weeks of age
Package size: 10 × 1 dose



Biocan DHPPi

Lyophilisate and solvent for suspension for injection
Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza from 6 weeks of age
Package size: 10 × 1 dose



Biocan L

Suspension for injection

Inactivated vaccine against canine Leptospira infection

Indications: For active immunization of dogs against Leptospira (*L. icterohaemorrhagiae*, *L. canicola*, *L. grippityphosa*) from 8 weeks of age
Package size: 10 × 1 dose

VACCINES FOR DOGS



Biocan DHPPi + L

Lyophilisate and solvent for suspension for injection
Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza and inactivated vaccine against canine leptospirosis inact. (L. icterohaemorrhagiae, L. canicola, L. grippityphosa)

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus and parainfluenza and most common Leptospira serovars from 8 weeks of age
Package size: 10 × 1 dose



Biocan DHPPi + LR

Lyophilisate and solvent for suspension for injection
Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus, parainfluenza and inactivated vaccine against leptospirosis and rabies

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirus, parainfluenza, rabies and most common Leptospira serovars (*L. icterohaemorrhagiae*, *L. canicola*, *L. grippityphosa*) from 12 weeks of age
Package size: 10 × 1 dose



Biocan LR

Suspension for injection

Inactivated vaccine against canine Leptospira and rabies infection

Indications: For active immunization of dogs against rabies and Leptospira serovars contained in the vaccine from 12 weeks of age
Package size: 10 × 1 dose



Biocan R

Suspension for injection

Inactivated rabies vaccine

Indications: For active immunization of dogs and other target animal species (cats, fur-bearing animals, cattle, horses, sheep, goats, pigs) against rabies from 12 weeks of age
Package size: 10 × 1 dose, 10 × 10 doses

VACCINES FOR DOGS



Biocan B

Suspension for injection

Inactivated vaccine against canine Lyme borreliosis

Indications: For active immunization of dogs against Lyme borreliosis from 12 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



Borrelym 3

Suspension for injection

Vaccine against canine Lyme borreliosis

Indications: For active immunization of dogs from 12 weeks of age to induce anti-OspA antibody response to *Borrelia* spp. (*B. burgdorferi sensu stricto*, *B. garinii* and *B. afzelii*)

Package size: 10 × 1 dose



Biocan C

Suspension for injection

Inactivated vaccine against canine coronavirus infection

Indications: For active immunization against canine coronavirus infection from 5 weeks of age

Package size: 10 × 1 dose



Biocan M Plus

Suspension for injection

Inactivated vaccine against canine Microsporum canis

Indications: For the prevention and therapy of canine dermatophytosis caused by *Microsporum canis* from 8 weeks of age

Package size: 2 × 1 dose, 10 × 1 dose



Biocan T

Suspension for injection

Tetanus vaccine

Indications: For active immunization of dogs against tetanus from 12 weeks

Package size: 2 × 1 dose, 10 × 1 dose





ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

Caniverm oral paste

Combination antiparasitic agent for use in dogs and cats, especially in puppies and kittens

Active substances: Fenbendazole, pyrantel, praziquantel

Indications: Helminth diseases in dogs and cats

Package size: 4 ml, 10 ml



Caniverm forte tablets

Antiparasitic agent against round worms and tapeworms for oral administration

Active substances:

Fenbendazolum 150.0 mg

Pyranteli embonas 144.0 mg

Praziquantelum 50.0 mg

Fish aroma – sardine fish aroma is added to enhance tablet take up by the animals

Target species: Dogs, cats, wild canidae a felidae

Indication: Prevention, control and treatment of canine and feline gastrointestinal (GIT) helminth parasites

Package size: 2 tablets, 6 tablets and 100 tablets. 10 vials each 0.5 ml of the lyophilized part (1 dose) and 10 × 0.5 ml diluent packed in one box



Caniverm mite tablets

Antiparasitic agent against round worms and tapeworms for oral administration

Active substances:

Fenbendazolum 37.5 mg

Pyranteli embonas 36.0 mg

Praziquantelum 12.5 mg

Fish aroma – sardine fish aroma is added to enhance tablet take up by the animals

Target species: Dogs, cats, wild canidae a felidae

Indications: Prevention, control and treatment of canine and feline gastrointestinal (GIT) helminth parasites

Package size: 2 tablets, 6 tablets and 100 tablets. 10 vials each 0.5 ml of the lyophilized part (1 dose) and 10 × 0.5 ml diluent packed in one box



ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

MOXAMID Spot-on solution

For dogs and cats suffering from, or at risk from, mixed parasitic infections

Active substances: imidacloprid and moxidectin

Indications specifying the target species can be found at

<https://www.bioveta.eu/en/>

Blister pack size: 1 or 3 unit dose pipettes



MOXAMID 40 mg/10 mg

spot-on solution for small dogs S

One pipette (0.4 ml) contains Imidacloprid 40 mg and Moxidectin 10 mg for dogs up to 4 kg



MOXAMID 100 mg/25 mg

spot-on solution for medium dogs M

One pipette (1.0 ml) contains Imidacloprid 100 mg and Moxidectin 25 mg for dogs weighing 4 to 10 kg



MOXAMID 250 mg/62.5 mg

spot-on solution for large dogs L

One pipette (2.5 ml) contains Imidacloprid 40 mg and Moxidectin 10 mg for dogs weighing 10 to 25 kg



MOXAMID 400 mg/100 mg

spot-on solution for extra-large dogs XL

One pipette (4.0 ml) contains Imidacloprid 400 mg and Moxidectin 100 mg for dogs weighing 4 to 10 kg



MOXAMID 40 mg/4 mg

spot-on solution for small cats and ferrets XS

One pipette (0.4 ml) contains Imidacloprid 40 mg and Moxidectin 4 mg for cats up to 4 kg and ferrets



MOXAMID 80 mg/8 mg

spot-on solution for cats S

One pipette (0.8 ml) contains Imidacloprid 80 mg and Moxidectin 8 mg for cats weighing 4 to 8 kg

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

SELIVERM Spot-on solution

For dogs and cats suffering from, or at risk from, mixed parasitic infections.

Active substances: Selamectinum

Indications specifying the target species can be found at <https://www.bioveta.eu/en/>

Blister pack size: 3 or 6 single-dose tubes



SELIVERM 15 mg

spot-on solution for cats S and dogs XS

One pipette (0.25 ml) contains selamectinum 15 mg for dogs and cats weighing ≤ 2.5 kg.



SELIVERM 45 mg

spot-on solution for cats M

One pipette (0.75 ml) contains selamectinum 45 mg for cats weighing 2.6 to 7.5 kg.



SELIVERM 60 mg

spot-on solution for cats L

One pipette (1.0 ml) contains selamectinum 60 mg for cats weighing 7.6 to 10.0 kg.



ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



SELIVERM 30 mg

spot-on solution for dogs S

One pipette (0.25 ml) contains selamectinum 30 mg for dogs weighing 2.6 to 5.0 kg



SELIVERM 60 mg

spot-on solution for dogs M

One pipette (0.5 ml) contains selamectinum 60 mg for dogs weighing 5.1 to 10.0 kg



SELIVERM 120 mg

spot-on solution for dogs L

One pipette (1.0 ml) contains selamectinum 120 mg for dogs weighing 10.1 to 20.0 kg



SELIVERM 240 mg

spot-on solution for dogs XL

One pipette (2.0 ml) contains selamectinum 240 mg for dogs weighing 20.1 to 40.0 kg



SELIVERM 360 mg

spot-on solution for dogs XXL

One pipette (3.0 ml) contains selamectinum 360 mg for dogs weighing 40.1 to 60.0 kg



ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



FIPRON spot-on for cats

50 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in cats

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 1 tube × 0.5 ml, 25 tubes × 0.5 ml



FIPRON spot-on for dogs S

67 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 2–10 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 1 tube × 0.67 ml, 25 tubes × 0.67 ml



FIPRON spot-on for dogs M

134 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 10–20 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 1 tube × 1.34 ml, 25 tubes × 1.34 ml



FIPRON spot-on for dogs L

268 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 20–40 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 1 tube × 2.68 ml, 25 tubes × 2.68 ml



FIPRON spot-on for dogs XL

402 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs over 40 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 1 tube × 4.02 ml, 25 tubes × 4.02 ml

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



FIPRON 2.5 mg/ml cutaneous spray, solution

Antiparasitic agent against fleas, ticks and biting lice in dogs and cats

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days

Package size: 100 ml, 250 ml

TOP SPOT ON DOG, spot-on solutions for dogs

Therapeutic and preventive use in dogs against ectoparasites – fleas and ticks

Recommended dose of the TOP SPOT ON DOG provides protection against ticks infestation for 4 weeks and against fleas infestation for 3 months.



TOP SPOT ON DOG S, spot-on solution for dogs

1 applicator (1 ml) of the solution contains

650 mg permethrinum.

For dogs under 15 kg.



TOP SPOT ON DOG M, spot-on solution for dogs

1 applicator (2 ml) of the solution contains

1300 mg permethrinum.

For dogs from 15 to 30 kg.



TOP SPOT ON DOG L, spot-on solution for dogs

1 applicator (3 ml) of the solution contains

1950 mg permethrinum.

For dogs over 30 kg.

Package size: 1 or 10 applicators



CANIS SHAMPOO BIOVETA

Antiparasitic dog shampoo

Active substance: Permethrin

Indications: Fine and gentle shampoo for hair care in all dog categories and breeds.

Active against fleas and ticks

Package size: 200 ml

DERMATOLOGICAL PRODUCTS



ALAPTID veterinary ointment

Veterinary dermatologic with a healing effect on wounds

Active substance: Alaptide

Indication: Highly healing ointment. For use in all warm-blooded non-food animals to treat small skin and mucosa injuries, burns, abrasions, frostbites, bedsores, dog paws damaged by salted pavements in winter, etc.

Package size: 20 g



BIOPIROX 10 mg/ml cutaneous spray, solution

Antimycotic spray for local application

Active substance: Piroctolamine

Indications: Treatment of mycotic skin diseases induced by dermatophytic fungi in dogs, cats, fur-bearing and small animals

Package size: 100 ml



BIODEXIN shampoo

Medicinal antiseptic containing shampoo for dogs and cats

Active substance: 4% chlorhexidine

Indications: The strong antiseptic effect of chlorhexidine allows the use in cases where the washing, antiseptic and the deodorizing effect have to be combined

Package size: 250 ml, 500 ml



BIODEXIN ear lotion, solution

Otological product, ear drops with chlorhexidine for dogs

Active substance: Chlorhexidine

Indications: Ear cleaner with antibacterial effect.

For application to the external auditory canal of dogs. Excellent bactericidal effect.

Effective against candida.

Anti-inflammatory effect.

Package size: 100 ml



OTOFIN ear solution, lotion

Cleaner for preventive care of the auditory canal of dogs and cats

Indications: Product dissolves earwax, effective in cleaning and drying the ear. Vegetable essential oils of marigold, lavender, basil and chamomile have calming and healing effects

Package size: 100 ml



OTIPUR sol.

Traditional ear cleaner with antiseptic properties for dogs and cats

Indications: For gentle cleaning of dog's or cat's ears. Dissolves and removes cerumen and impurities. Excellent keratolytic effect.

Antiseptic action

Package size: 60 g, 200 g



OTIBIOVIN ear drops, solution

Otological product with effective combination of antibiotics, disinfecting and soothing agents

Active substances: Triamcinoloni acetonidum, Acidum salicylicum, Gentamicini sulfas, Carbethopendecinii bromidum

Indications: Otitis externa in dogs and cats caused by microorganisms sensitive

to the active substances in the product

Package size: 15 ml



OTIMIX PLUS ear drops, suspension

Otological product with an effective combination of antibiotic, antifungal, and glucocorticoid agents.

Active substances: polymyxin B, miconazole, prednisolone

Indications: Treatment of otitis externa and dermatitis in dogs and cats caused by microorganisms susceptible to polymyxin B and miconazole

Package size: 15 ml

VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES



ADE - vit. solution for injection

Solution for injection containing vitamins A, D2 and E intended for dogs and other target animal species (cattle, horses, pigs, sheep, goats and rabbits)

Indications: Hypovitaminosis and avitaminosis A, D2 and E; growth and metabolism disorders in young domestic animals, myodystrophy in lambs and calves; rachitis, osteomalacia, disorders caused by low calcium level in the body, support of bone fracture

healing and proper tooth development, exudative epidermitis in piglets; adjunctive therapy of sterility of unknown etiology, prophylaxis of embryonic mortality and foetal development disorders in the prenatal period, etc.

Package size: 100 ml, 500 ml



ATLET SIRUP

Food supplement for dogs and cats

Indication: Sirup for oral use to protect and regeneration of dogs and cats musculoskeletal system. It improves mobility and activity, relieves pain of joints and muscles, easy to apply

Package size: 250 ml



HYALCHONDRO DC PLUS

Food supplement for dogs

Hyaluronan – chondroitin complex with manganese and vitamin E

Indications: Joint nutrition. Food supplement to support proper development and function of the locomotor system in all dog breeds. It is used in case of increased demands for the locomotor system of dogs during their growth, training or work, following injuries to support and restore the function of the locomotor system

Package size: 120 ml



KELPA BIOVETA

Veterinary dietary supplement for healthy teeth and strong immune system

Indications: Eliminates bad breath.

Supports the functioning of the thyroid gland and the immune system.

Improves skin and hair quality.

Has antioxidant effects

Package size: 90 g

VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES



PLASTIN

Mineral food supplement for dogs and other target species (pigs, poultry)

Indications: The product is intended as a mineral supplement to daily feed intake

Package size: 1 kg, 5 kg



VITAPLASTIN FORTE

Mineral food supplement for dogs and other target species (cattle, sheep, goats, pig, silver fox, rabbit, poultry, exotic birds)

Indications: The product is intended as a mineral and trace element supplement to daily feed intake

Package size: 1 kg, 5 kg



ANTIFLOGISTICS



MELOXICAM Bioveta 5 mg/ml injection solution for dogs and cats

NSAID drug in injection solution with rapid onset of analgetic and anti inflammatory effect for dogs and cats

Active substance: *Meloxicamum* 5 mg/ml

Indications:

Dogs: Analgetic and anti inflammatory effect in musculoskeletal, inflammatory diseases and as a analgetic drug after surgery

Cats: As analgetic drug after soft tissue surgery

Package size: 10 ml

ANTIFLOGISTICS



MELOXICAM Bioveta 1,5 mg/ml peroral suspension for dogs

Anti inflammatory and analgesic drug in suspension (NSAID) for dogs from 6 weeks of age in orthopedic, surgery and anti inflammatory indications

Active substance: *Meloxicamum* 1,5 mg/ml

Indications: Analgetic and anti inflammatory effect in musculoskeletal, inflammatory diseases

Suspension for peroral application with 1 and 5ml applicators. Applicators are included

Package size: 10 ml, 100 ml



ANALEPTICS, ANAESTHETICS, HYPNOTICS



COFFEINUM BIOVETA 125 mg/ml

solution for injection

Injectable preparation containing caffeine

Active substance: Coffeinum

Indications: Acute general weakness, collapse or shock as a manifestation of depression or paralysis of central nervous system, postoperative coma, cardiac insufficiency and other cases of damage or exhaustion and depressive condition in dogs, cats, horses, cattle, pigs, sheep and goats

Package size: 50 ml



DEXIVET 0,5 mg/ml

Solution for injection

Active substance: Dexmedetomidini

hydrochloridum 0,5 mg in 1 ml

Indication: sedation and premedication in dogs and cats before induction and maintenance of general anaesthesia

Package size: 10 ml



NALGOSED 10 mg/ml

solution for injection

The product contains butorphanol, an analgesic with an opioid, central action

Active substance: Butorphanol

1 ml of the product contains butorphanol 10 mg

Indication: The product is indicated for the management of analgesia and sedation in horses; for the management of analgesia, sedation and preanaesthesia in dogs and cats

Package size: 10 ml



NARKAMON 50 mg/ml

solution for injection

Injectable 5% ketamine preparation

Active substance: Ketaminum (ut hydrochloridum)

Indications: Short-term narcosis of dogs, cats and other target species (horse, donkey) for diagnostic and therapeutic procedures

Package size: 50 ml

ANALEPTICS, ANAESTHETICS, HYPNOTICS



NARKAMON 100 mg/ml

solution for injection

Injectable 10% ketamine preparation

Active substance: Ketaminum (ut hydrochloridum)

Indications: Short-term narcosis of dogs, cats and other target species (horse, cattle, pigs, sheep, goats, wild animals, small animals and birds) for diagnostic and therapeutic procedures

Package size: 10 ml, 50 ml



ROMETAR 20 mg/ml solution for injection

Injectable preparation containing xylazine

Active substance: Xylazinum (ut Xylazini hydrochloridum)

Indications: Depending on the dose, method of administration and animal species, the product has different sedative, analgesic, anaesthetic and muscle relaxant effects; target animal species: dogs, cats, horses, cattle and zoo animals (red deer, roe deer and fallow deer)

Package size: 50 ml



SEDAN 35 mg/ml

Peroral gel for horses and dogs

Active substance: Acepromazinum

Indications:

Horses and dogs sedations for reasons of restlessness, nervousness, tetanus, lumbago, fixation prior to examination and during treatment, before animal transport. Also acts as an antiemetic

Package size: 1×1 ml, 1×10 ml

DISINFECTING PRODUCTS



ALFADIN 10 mg/ml skin solution

Disinfectant against bacteria, viruses, mold and protozoa

Active substances: *Iodopovidonum*

Indications: To skin and mucous membrane disinfect, for disinfection of operative, injection and castration fields, external genitalia, umbilicus veins of newborn animals, to wash the wound.

For use in surface disinfection of teats, mammary glands

Package size: 20 ml, 200 ml, 1000 ml



IVASAN spray

Disinfecting agent effective against viruses, bacteria and fungi intended for use in veterinary and breeding facilities for direct spraying

Active substances: Quarternary ammonium salts and PHMG

Indications: For the disinfection of surfaces, areas and objects such as cages, boxes, pet beds, toilets, toys, bowls or waterers. Removes odours, does not irritate mucosa or skin. No stains

Package size: 500 ml



IVASAN pets

Concentrated liquid product for the disinfection of all washable areas, surfaces and medical equipment in veterinary clinics, breeding utensils and equipment.

Highly effective against viruses, bacteria and fungi

Active substances: Quarternary ammonium salts and PHMG

Indications: For cleaning floors, washing walls and surfaces of stalls, cotes and aviaries in households, shelters, rescue stations etc., for the disinfection of breeding utensils and equipment, for the disinfection of medical equipment. Removes odours, does not irritate mucosa or skin. No stains

Package size: 1 litre, 3 litres



OTHER PRODUCTS



AMOXICILLIN Bioveta 150 mg/ml LA suspension for injection

Injectable antibiotic for dogs and other target animal species (cattle, sheep, pigs)

Active substance: Amoxicillinum

Indications: Treatment of diseases caused by pathogens sensitive to amoxicillin in dogs, cattle, sheep and pigs

Package size: 100 ml, 250 ml



HYALURONAN Bioveta 10 mg/ml solution for injection

Injectable hyaluronan for use in dogs, cats and horses in orthopaedics and ophthalmology

Active substance: Natrii hyaluronas

Indications: Orthopaedic indications (IV application) – arthrosis, polyarthrosis; subacute and chronic arthritis; tendovaginitis, tendinosis and bursitis; osteochondrosis. Ophthalmologic indications – acute and chronic keratitis; conjunctivitis, keratoconjunctivitis and other problems

Package size: 5 × 6 ml



PENBITAL Eutha 400 mg/ml

Solution for injection

Active substance: Pentobarbital sodium 400.0 mg (equivalent to 362.94 mg pentobarbital)

Target species: Pet and exotic animals: dogs, cats, rabbits, hares, aesthetic birds, pigeons, turtles, snakes, frogs, lizards, guinea pigs, minks, polecats, hamsters, rats and mice

Livestock: cattle, horses, ponies, pigs, poultry (not intended for slaughter/human consumption)

Indication: Euthanasia

Dosage: Dose for each animal/animal species depends on body weight and route of administration. For proper application refer to the insert leaflet

Route of administration: Usually intravenous (IV). Less common routes – intracardiac (IC) and intrapulmonary (deep sedation or anesthesia needed), intraabdominal and intraperitoneal (IP)

Package size: 100 ml

OTHER PRODUCTS



OXYTOCIN BIO 5 IU/ml solution for injection

Hormonal product

Active substance: Oxytocinum

Indications: To support delivery and puerperal period; to remove the pathological contents of the uterus; endometritis, pyometra and agalaxia in bitches, cows, mares, ewes, goats and sows.

Package size: 50 ml



RABADROP

Oral suspension of live attenuated bait vaccine against rabies

Active substance:

Rabies virus SAD Clone attenuated

$1.8 \times 10^{6.0}$ TCD₅₀ – $1.8 \times 10^{8.5}$ TCD₅₀ in 1.8 ml

Stabilization medium and bait is composed of beef tallow, palm oil, fish meal, hard paraffin, biomarker (tetracycline hydrochloride)

Target species: Red fox (*Vulpes vulpes*) and raccoon dog (*Nyctereutes procyonoides*)

Indication: For active immunization of wild red foxes and raccoon dogs against rabies

Package size: Every bait contains one dose of the vaccine

a) For manual placement/scattering 20 or 30 pieces of the bait are packed in one cardboard and in multiple packaging of 30×20 pieces/ PE plastic bags

b) For aerial scattering PE bag containing 2×350 pieces or sleeve containing 700 pieces placed in cardboard



WE *respect* **ANIMALS**

VETERINARY MEDICAMENTS PRODUCER



Further information is available from the summary of product characteristics, package leaflet, or website: <https://www.bioveta.eu/en/>



Bioveta, a. s.
Komenského 212/12
683 23 Ivanovice na Hané
Czech Republic
www.bioveta.cz

For further information contact: **Paukner Karel, DVM, Bc**
Product manager – companion animals
phone: +420 602 476 680, e-mail: paukner.karel@bioveta.cz

