



# VETERINARY PRODUCTS FOR PIGS

VACCINES

HORMONES

ANTIMICROBIAL PRODUCTS

ANTIPARASITICS

ANTIANEMICS

VITAMINS, NUTRITIONAL SUPPLEMENTS

OTHERS



**WE**respect**ANIMALS**

VETERINARY MEDICAMENTS PRODUCER

## VACCINES



### BIOSUIS APP 2, 9, 11

#### emulsion for injection for pigs

*Inactivated bacterin-toxoid vaccine against actinobacillosis of pigs.*

**Indication:** For active immunisation of fattening pigs to mitigate the consequences of infection caused by *Actinobacillus pleuropneumoniae* – the cause of porcine pleuropneumonia.

**Package:** 100, 250 ml



### BIOSUIS M.hyo

#### emulsion for injection for pigs

*Inactivated vaccine against Enzootic pneumonia of pigs.*

**Indication:** For active immunization of fattening pigs to mitigate the effects of infection with *Mycoplasma hyopneumoniae* – a causative agent of Enzootic pneumonia of pigs.

**Package:** 100, 250 ml



### BIOSUIS ParvoEry

#### suspension for injection for pigs

*Inactivated vaccine against Swine Parvovirus and Swine Erysipelas with aluminium hydroxid adjuvant.*

**Indication:** For active immunisation of pigs (gilts, sows) to reduce clinical signs (skin lesions and fever) of Swine Erysipelas caused by *Erysipelothrix rhusiopathiae* and to prevent transplacental infection of embryos and fetuses of gilts and sows caused by Porcine Parvovirus. Recommended for swine farms with sensitive genetics of swine breed mainly (Danish and Belgium Landrace, Pietrain).

**Package:** 50, 100 ml



### BIOSUIS PARVO L (6)

#### emulsion for injection for pigs

*Inactivated vaccine against Swine parvovirus and Leptospirosis.*

**Indication:** For preventive vaccination of sows, gilts and boars against infections caused by *Parvovirus suis* and serious serotypes of *Leptospira* spp.

**Package:** 20 ml

## VACCINES



### BIOSUIS PRRS inact Eu+Am

#### emulsion for injection for pigs

*Inactivated vaccine against PRRS infection with European and American strains.*

**Indication:** For active immunization of gilts and sows to reduce reproductive disorders and viremia caused by Porcine reproductive and respiratory syndrome virus (European and American type).

**Package:** 50 ml



### BIOSUIS Respi E

#### emulsion for injection for pigs

*Inactivated vaccine against Actinobacillosis, Swine erysipelas and Glasser disease of pigs.*

**Indication:** For active and passive immunization of piglets to prevent infection with *Erysipelothrix rhusiopathiae*, reduce infection with *Actinobacillus pleuropneumoniae* and *Haemophilus parasuis* (Glässer's disease) and to reduce clinical symptoms caused by these pathogens and pathological changes in lung tissue caused by these pathogens.

**Package:** 100 ml



### BIOSUIS Salm

#### emulsion for injection for pigs

*Inactivated vaccine against zoonotic serovars of Salmonella spp. with modern oil adjuvant*

**Indication:** For immunization of pregnant gilts and sows in order to induce colostral immunity, and better protection of suckling piglets against bacterial infection by strains of *Salmonella enterica* subsp. *enterica* serovars *Typhimurium*, *Derby* and *Infantis*, which leads to decrease in colonization of inner organs by these serovars.

**Package:** 50 ml

In the process  
of registration

### BIOSUIS PRRS live

#### suspension for injection for pigs

*Live attenuated lyophilised vaccine against infection by European subtype of PRRS virus*

**Indication:** For the active immunization of clinically healthy pigs from 2 weeks of age in environment contaminated by the European type of PRRS virus, to reduce viremia and create specific antibodies in pigs.

**Package:** 50 ml

## VACCINES

### ROKOVAC NEO

#### emulsion for injection for pigs

*Inactivated vaccine against rotaviral and coli-infections of piglets.*

**Indication:** For active immunisation of pregnant gilts and sows against rotaviral and enteral coli-infections, to induce colostral and lactogenous immunity to protect piglets till weaning. Piglets are protected against antigens included in vaccine during suckling from vaccinated mother.

**Package:** 50 ml



### POLYPLEUROSIN APX PLUS IM

#### emulsion for injection for pigs

*Inactivated subunit bacterin-toxoid vaccine against bacterial respiratory syndrome of pigs.*

**Indication:** For immunization of piglets, gilts and sows in healthy herds or suffering from pneumonia caused by *Actinobacillus pleuropneumoniae*, *Pasteurella multocida*, *Bordetella bronchiseptica*.

**Package:** 100 ml, 250 ml



### RHINISIN DNT

#### emulsion for injection for pigs

*Inactivated vaccine against progressive atrophic rhinitis in swine with dermonecrotoxic toxin.*

**Indication:** For immunization of pregnant gilts and sows from 6 months of age in order to induce colostral immunity and following protection newborn piglets against Atrophic rhinitis.

**Package:** 20 ml, 100 ml



### ERYSEN inj. sicc.

*Live attenuated lyophilised vaccine against Swine erysipelas.*

**Indication:** Immunization of pigs from 8 weeks of age against all clinical forms of Swine erysipelas with a single vaccination dose only.

**Package:** 100 ml



### ERYSIN SINGLE SHOT

#### emulsion for injection for pigs

*Inactivated vaccine against Swine erysipelas.*

**Indication:** Immunization of pigs from 8 weeks of age against all clinical forms of Swine erysipelas with a single vaccination dose only.

**Package:** 5 × 20 ml, 100 ml



## VACCINES

### ERYPESTEN inj. sicc.

*Live vaccine against Swine erysipelas and Classical swine fever.*

**Indication:** For the basic immunization against erysipelas and CSF.

**Package:** 5 × 20 ml



### PESTISEN-C inj. sicc.

*Live vaccine against Classical swine fever (CSF).*

**Indication:** The vaccine is intended for preventive vaccination of pigs against CSF.

**Package:** 5 × 10 doses, 10 × 10 doses



### Kolisin Neo emulsion for injection for pigs

*Inactivated vaccine against enteral-coli infections of piglets.*

**Indication:** For the vaccination of the pregnant gilts and sows to be performed in breeding infected or threatened with coli infections.

**Package:** 50 ml, 100 ml



### Kolierysin Neo emulsion for injection for pigs

*Inactivated vaccine against enteric coli-infections in suckling piglets.*

**Indication:** For the protection against swine erysipelas in gilts and sows and protection against coli-infections in piglets.

**Package:** 50 ml, 100 ml



### PARVOSIN-OL emulsion for injection for pigs

*Inactivated monovalent vaccine against Swine parvovirus.*

**Indication:** For preventive vaccination of gilts, sows and boars against infections caused by *Parvovirus suis* with a single vaccination dose only.

**Package:** 50 ml, 100 ml



### PARVOERYSIN emulsion for injection for pigs

*Inactivated bivalent vaccine against Swine parvovirus and Swine erysipelas.*

**Indication:** For the active immunization of pigs against infections caused by *Parvovirus suis* and all clinical forms of Swine erysipelas with a single vaccination dose only.

**Package:** 50 ml, 100 ml



## HORMONES

### OESTROPHAN 0.25 mg/ml injection solution

*Hormonal product for sows, cows and mares.*

1 ml of injection solution contains *Cloprostenolum (ut natrium)* 0.25 mg.

**Indications:** Gilts and sows: Synchronization and induction of farrowing. Postpuerpal chronic endometritis, pyometra. Interruption of normal and pathological pregnancy.

Gilts and sows: 0.7 ml pro toto (0.175 mg of the active substance) should be administered starting from day 111 of pregnancy. The majority of cases of parturition induced occur within 40 hours after the administration, namely between 24 and 35 hours.

**Package:** 10 × 2 ml, 10 ml



### ESTRON 250 µg/ml solution for injection

*Hormonal product for sows, cows and mares.*

1 ml of injection solution contains *Cloprostenolum (ut natrium)* 0.25 mg.

**Indications:** Gilts and sows: Synchronization and induction of farrowing. Postpuerpal chronic endometritis, pyometra. Interruption of normal and pathological pregnancy.

Gilts and sows: 0.7 ml pro toto (0.175 mg of the active substance) should be administered starting from day 111 of pregnancy. The majority of cases of parturition induced occur within 40 hours after the administration, namely between 24 and 35 hours.

**Package:** 5 × 10 ml



### REMOPHAN 75 µg/ml injection solution (ESTROPUR)

*Hormonal product for sows, cows and heifers*

1 ml of injection solution contains + *Cloprostenolum natrium* 75 µg.

**Indications:** Gilts and sows – Synchronization and induction of farrowing. Postpuerpal chronic endometritis, pyometra. Gilts and sows – administer (behind the ear) a one-shot dose of 1 ml (75 µg of active substance) from the 111th day of pregnancy. Most induced parturition start between the 19th and 30th hour after administration.

**Package:** 10 ml



## HORMONES

### OXYTOCIN BIO 5 IU/ml injection solution

*Hormonal product for sows, cows, mares, sheep, goats and bitches.*

1 ml of injection solution contains *Oxytocinum* 5 IU.

**Indications:** Support delivery in case of primary and secondary depression of contractions, to accelerate the expulsive phase of delivery, depression of uterine muscle contractility during the puerperal period, stimulate involution in case of placenta retention and exometra, to remove the pathological contents of uterus (endometritis, pyometra) agalaxia in consequence of milk production disorder in all target species.

**Package:** 50 ml



### SERGON 500 IU/ml

**powder for preparation of injection solution with solvent**

*Hormonal product for sows, cows, heifers, gilts, sheep, goat, bitch, rabbit.*

1 ml of injection solution contains *Gonadotrophinum sericum equinum* – 500 IU.

**Indications:** Anestrus, induction and synchronization of heat.

**Package:** 1 × 1000UI, 1 × 3000 UI, 1 × 5000UI, 5 × 1000UI, 5 × 3000UI, 5 × 5000UI



### SERGON PG 400/200 IU

**lyophilizate for solution for injection with solvent**

*Hormonal product for sows and gilts.*

1 ml of injection solution contains *Gonadotrophinum sericum equinum* (400 IU) and *Gonadotrophinum chorionicum* (200 IU).

**Indications:** Anestrus, induction and synchronization of estrus in gilts and sows.

**Package:** 5 × 1 dose, 5 × 5 doses



## ANTIMICROBIAL PRODUCTS



### AMOXICILLIN Bioveta 150 mg/ml LA

injection suspension

*Injection antibiotic.*

**Active substance:** Amoxicillinum.

**Target species:** Pigs, cattle, dogs.

**Indications:** Treatment of the disease caused by the germ sensitive to amoxicillin. Especially local, gastrointestinal, respiratory and urogenital infections are concerned.

**Package:** 100 ml, 250 ml



### IVATYL TAR 180 000 IU/ml

solution for injection

*Injection antibiotic.*

**Active substance:** Tylosinum.

**Target species:** Pig, cattle.

**Indications:** Treatment of respiratory, gastrointestinal and urogenital tract infections, skin infections and infections of soft tissue caused by bacteria sensitive to tylosine.

**Package:** 100 ml, 250 ml



### BIOVETA AMOXICILIN 100 mg/g

powder for oral solution

*Water soluble antibiotic.*

**Active substance:** Amoxicillinum.

**Target species:** Pigs, calves, poultry.

**Indications:** Infectious diseases caused by germs sensitive to amoxicillin, e.g. infection of upper airways and lungs, post-delivery infections, urogenital tract infections, hepatobiliary infection, salmonellosis, coli infections, etc.

**Package:** 100 g, 1 kg, 5 kg



### BIOVETA COLISTIN 1 200 000 IU/g

powder for oral solution

*Water soluble antibiotic.*

**Active substance:** Colistini sulfas.

**Target species:** Piglets, calves, domestic fowl

**Indications:** Prevention and therapy of gastrointestinal disorders caused by gram-negative bacteria (in particular *E. coli* and *Salmonella* spp.).

**Package:** 500 g, 5 kg

## ANTIPARASITICS



### BIOMEK 10 mg/ml injection solution

*Antiparasitic injection solution.*

**Active substance:** Ivermectinum.

**Target species:** Pigs, cattle, sheep.

**Indications:** Treatment and prevention of following parasitic diseases in cattle, sheep and pigs: gastrointestinal round worms, lung nematodes, eye helminths, other worms, mites, lice, scabies.

**Package:** 50 ml, 500 ml



### BIOVETA FENBENDAZOL 40 mg/g

oral powder

*Peroral antiparasitic product.*

**Active substance:** Fenbendazolum.

**Target species:** Pig.

**Indications:** Porcine helminthosis treatment: *Ascaris suum*, *Hyostromylus rubidus*, *Trichuris* spp., *Oesophagostomum* spp., *Stephanurus dentatus*, *Metastrongylus apri*.

**Package:** 500 g, 5 kg

## ANTIANEMICS



### FERRIBION 100 mg/ml injection solution

*Antianaemic product.*

**Active substance:** Dextraferranum.

**Target species:** Piglets, calves, sheep, goats, lambs, dogs, minks, foxes.

**Indications:** Primary anaemia, particularly hypochromic and afebrile in all types of farm animals showing the following symptoms: depression, pallid mucosa, subnormal temperature and possible diarrhoea of non-infectious origin. Secondary anaemia due to the long-term haemorrhage caused by injuries, long-term surgical interventions and complicated deliveries; anaemia caused by the primary or secondary parasitic affections; supporting treatment during infectious diseases and exhaustion.

**Package:** 100 ml, 500 ml



### GAFERVIT injection solution

*Antianaemic, immunopreventive and vitamin product for piglets.*

It contains iron in the form of dextran, pig immunoglobulins, B group vitamins and trace elements.

**Indications:** Anaemia, hypoglobulinaemia, cachexia, retardation, diseases connected with weaning (diarrhoea, decreased appetite, etc.), metabolic disorders in piglets.

**Package:** 100 ml

## ANTIANEMICS



### **GAFERVIT mite** injection solution

*Antianaeamic, immunopreventive and vitamin product for piglets.*

It contains iron in the form of dextran, pig serum, B group vitamins and trace elements.

**Indications:** Anaemia, hypoglobulinaemia, cachexia, retardation, diseases connected with weaning (diarrhoea, decreased appetite, etc.), metabolic disorders in piglets.

**Package:** 100 ml

## VITAMINS, NUTRITIONAL SUPPLEMENTS



### **ADE – vit.** injection solution

*Injection oily product containing vitamin A, D2 and E*

**Target species:** Pig, cattle, horse, sheep, goat, dog, rabbit.

**Indications:** Hypovitaminosis and avitaminosis A, D2 and E.

**Package:** 100 ml, 500 ml



### **VITA E SELEN** solution for injection

*Product for prophylaxis and therapy of the diseases caused by the deficiency of the vitamin E and selenium.*

1 ml of the product contains *Alpha-tocopherol acetate* 25 mg, *Sodium selenite* 2.2 mg (equivalent to 1 mg of selenium).

**Target species:** Pigs, lambs, calves, young cattle, cows.

**Indications:** Prevention and therapy of diseases associated with deficiency of vitamin E and selenium, especially muscular dystrophy in young livestock.

**Package:** 50 ml, 100 ml



### **PLASTIN**

*Mineral food complement containing trace elements and basic mineral substances.*

**Target species:** Pig, dog, poultry.

**Indications:** Completion of mineral substances into the feeding dose.

**Package:** 1 kg, 5 kg



### **VITAPLASTIN forte**

*Mineral food complement containing trace elements and basic mineral substances.*

**Target species:** Pig, horse, cattle, sheep, goats, dog, silver fox, rabbit, poultry, exotic birds.

**Indications:** Completion of mineral substances into the feeding dose.

**Package:** 1 kg, 5 kg



## OTHERS



### COFFEINUM BIOVETA 125 mg/ml

#### injection solution

*Product containing the central analeptic caffeine.*

**Active substance:** *Coffeinum anhydricum.*

**Target species:** Pigs, cattle, horses, dogs, cats, sheep

**Indications:** Acute general physical weakness, collapse or shock as a sign of sedation or paralysis of the central nervous system (after exhausting exertion, poisoning and severe diseases), surgical coma, heart insufficiency (mainly bradycardic type) and other cases of injury or fatigue, to shorten waking up after general anaesthesia.

**Package:** 50 ml



### JODOUTER 100 mg/ml intra-uterine solution

*Local antiseptic, disinfectant product.*

**Active substance:** *Povidonum iodinatum.*

**Target species:** Pigs, cattle.

**Indications:** Vagina contamination by urine (urovagina), vagina and vagina vestibule inflammations (vaginitis, vestibulitis), cervix uteri inflammations (cervicitis), acute and chronic uterine mucosa inflammations (endometritis) caused by acute and subacute infections, trichomoniasis, vagina injuries, insufficient uterus contractility after delivery (atonia uteri post partum), lochiometra, retention of secundines (retentio secundinarum) and pyometra.

**Package:** 150 ml



### LOTAGEN injector intra-vaginal solution

*Local antiseptic, disinfectant product.*

**Active substance:** *Policresulenum.*

**Target species:** Pigs, cattle.

**Indications:** Sterility induced by acute infections, cervicitis, vaginitis, vulvitis, genital trichomoniasis and urovaginitis; obstetrics – vaginal injury, vaginal bleeding.

**Package:** 150 ml



### LOTAGEN 360 mg/ml

#### concentrate for vaginal/cutaneous solution

*Local antiseptic, disinfectant product*

**Active substance:** *Policresulenum.*

**Target species:** Cattle, mares, dog.

**Indications:** Sterility due to endometritis or subacute infections; cervicitis, vaginitis, vestibulitis, trichomoniasis; obliteration of milk pseudofistulae; obstetrics – injuries to the vagina, post-partum vaginal haemorrhage, prevention of MMA syndrome in sows; surgical procedures and wound toilet; fistulae of the anal glands, interdigital ulcerations, otitis externa.

**Package:** 100 ml

## OTHERS



### AVITUBAL 28 000 inj. ad us. vet

*Product for the diagnosis of tuberculosis*

1 ml contains proteinum tuberculini *Mycobacterii avium* (strain D 4 ER) – 28 000 IU

**Target animals:** Pig, cattle, poultry

**Indications:** For simple tuberculinisation of pigs and poultry and for the simultaneous tuberculinisation of bovine animals.

**Package:** 1 × 5 ml, 10 × 5 ml



### BOVITUBAL 28 000 inj. ad us. vet

*Product for the diagnosis of tuberculosis*

1 ml contains proteinum tuberculini *Mycobacterii bovis* (strain AN 5) – 28 000 IU

**Target animals:** Pig, cattle, poultry.

**Indications:** For simultaneous tuberculinisation of pigs and poultry and for simple tuberculinisation of cattle.

**Package:** 1 × 5 ml, 10 × 5 ml



### PENBITAL 400 mg/ml solution for injection

*Gentle product for the euthanasia without adverse reactions.*

Product contains *pentobarbitalum natricum* 400,0 mg (362,94 mg of pentobarbital) in one ml.

Injection solution. Blue to sea – green solution.

**Target species:** Cattle, goat, sheep, swine, horse and rabbit not intended to slaughter purposes. Dog, cat, ferret.

**Indication:** Euthanasia.

**Package:** 100 ml



### IVASAN Farm

Liquid, watersoluble product with ammonium chlorides and PHMG, intended for professional disinfection and hygienic sanitation of surfaces, spaces and technological equipment on animal farms and for disinfection of vehicles used for animal transport and feed stores.

**Package:** 5 l, 10 l



**WE** *respect* **ANIMALS**

## VETERINARY MEDICAMENTS PRODUCER

**Bioveta, a. s.**

Komenského 212  
683 23 Ivanovice na Hané  
Czech Republic

tel.: +420 517 318 638  
e-mail: [obchod@bioveta.cz](mailto:obchod@bioveta.cz)  
[www.bioveta.cz](http://www.bioveta.cz)

For further information contact:

**MVDr. Pavel Raška**

Senior Product manager – livestock  
e-mail: [raska.pavel@bioveta.cz](mailto:raska.pavel@bioveta.cz)  
mobil: +420 777 357 860

**MVDr. Dalibor Pavlíček**

Product manager – livestock  
e-mail: [pavlicek.dalibor@bioveta.cz](mailto:pavlicek.dalibor@bioveta.cz)  
mobil: +420 608 724 256

