




VETERINARY MEDICINAL PRODUCTS FOR HORSES



VACCINES

SERA

ANTIPARASITICS

ANAESTHETICS

ANTIBIOTICS

HORMONAL PRODUCTS

DERMATOLOGICALS

JOINT NUTRITION

NUTRITIONAL SUPPLEMENTS

OTHER



WE *respect* **ANIMALS**

VETERINARY MEDICAMENTS PRODUCER



VACCINES



BioEquin F

suspension for injection for horses

Inactivated vaccine for active immunisation against equine influenza. Each vaccine dose (1 ml) contains inactivated equine influenza virus, strain A/Equi 2/Morava 95 (Eurasian type), H3N8 and strain A/Equi 2/Brno 08 (American type, subline Florida 2), H3N8

Indications: For active immunisation of horses against equine influenza to reduce clinical signs and viral excretion following infection with equine influenza virus.

Pack size: 2 × 1, 10 × 1 dose



BioEquin H

emulsion for injection for horses

Inactivated vaccine for active immunisation against herpesvirus abortions in horses. Each vaccine dose (1 ml) contains inactivated equine herpesvirus (EHV-1)

Indications: For active immunisation of horses to reduce the occurrence of respiratory infection and clinical signs caused by equine herpesvirus (EHV-1) and to reduce the occurrence of abortions in pregnant mares caused by equine herpesvirus (EHV-1) infection.

Pack size: 2 × 1, 10 × 1 dose



BioEquin FH

emulsion for injection for horses

Inactivated vaccine for active immunisation against herpesvirus abortions in horses and equine influenza. Each vaccine dose (1 ml) contains inactivated equine influenza virus, strains: A/Equi 2/Brno 08 (American type) H3N8, A/Equi 2/ Morava 95 (European type) H3N8 and inactivated equine herpesvirus (EHV-1)

Indications: For active immunisation of horses to reduce the occurrence of respiratory infection and clinical signs caused by equine influenza virus and equine herpesvirus (EHV-1).

Pack size: 2 × 1, 10 × 1 dose



BioEquin FT

suspension for injection for horses

Inactivated vaccine for active immunisation against equine influenza and tetanus

Each vaccine dose (1 ml) contains inactivated equine influenza virus, strain A/Equi 2/Morava 95 (Eurasian type), H3N8, strain A/Equi 2/Brno 08 (American type, subline Florida 2), H3N8 and purified tetanus anatoxin min. 30 IU

Indications: For active immunisation of horses over six months of age against equine influenza to reduce clinical signs and viral excretion following infection with equine influenza virus and for active immunisation against tetanus.

Pack size: 2 × 1, 10 × 1 dose

VACCINES



BioCan R

suspension for injection

Inactivated vaccine against rabies

Each vaccine dose (1 ml) contains inactivated rabies virus, strain SAD Nvukovo-32 – min. 2 IU

Indications: For active immunisation against rabies.

Pack size: 10 × 1 ml, 10 × 10 ml



CLOTEID 4

suspension for injection

Anti-tetanus vaccine for horses, cattle, sheep, goats and dogs

Each vaccine dose (1 ml) contains purified tetanus anatoxin.

Indications: For active immunisation of horses, cattle, sheep, goats and dogs against tetanus from 3 months of age.

Pack size: 2 × 1, 10 × 1 dose



TRICHOEQUEN inj. sicc. ad us. vet.

Vaccine against equine trichophytosis

Each ml contains Trichophyton equinum _ min. 4.106 CFU, max. 16.106 CFU

Indications: For prophylaxis and therapy of equine trichophytosis from 4 months of age.

Pack size: 5 × 5 ml, 25 ml, 50 ml

SERA



CLOTEAN

suspension for injection

Anti-tetanus serum

Each ml contains immunoserum tetanicum equinum nativum min. 300 IU

Indications: For passive immunisation of animals during surgeries, injuries etc. Therapeutically it is used in the early stages of tetanus. After prophylactic vaccination, passive immunity persists for 7-10 days. After therapeutic vaccination, passive immunity persists for 7-10 days from the last vaccination.

Pack size: 5 × 20 ml, 100 ml



POLYEQUAN inj. ad us. vet.

Antiparalytic serum for foals

Composition in 100 ml - immune serum against Escherichia coli, Salmonella abortus equi, Streptococcus equi, Actinobacillus equinum nativum

Indications: For passive immunisation of foals when the herd is at risk or infested with germs of E. coli, Salmonella abortus equi, Streptococcus equi, Actinobacillus equinum nativum.

Pack size: 50 ml, 100 ml

ANTIPARASITICS



EQUIMOXIN 18,92 mg/g

Oral gel for horses

Antiparasitic product for horses intended for the treatment of infestation with moxidectin-sensitive parasites, including encysted stages of small strongyles

Indications: Treatment of infestation with moxidectin-sensitive parasites: large strongyles, small strongyles (adults and intraluminal larval stages), ascarids, *Oxyuris equi* (adults and larval stages), *Habronema muscae* (adults), *Gasterophilus intestinalis* (L2, L3), *Gasterophilus nasalis* (L2, L3), *Strongyloides westeri* (adults), *Trichostrongylus axei*. The veterinary medicinal product has a persistent efficacy of two weeks against small strongyles.

Composition: Each gram of gel contains moxidectin 18.92 mg

Pack size: 1 × 14,8 g, 10 × 14,8 g



EQUISTRONG 400 mg/g

oral paste for horses

Antiparasitic paste containing pyrantel

Each gram of paste contains pyrantel embonate 400 mg.

Indications: Suppression and treatment of infections caused by adults of small and large strongyles, pinworms, roundworms and tapeworms in horses.

Pack size: 1 × 28,5 g, 10 × 28,5 g



EQUIVERM

Oral Paste

Antiparasitic paste containing ivermectin and praziquantel

Indications: Treatment of parasitic diseases caused by tapeworms, small strongyles or *Cyathostoma*, hairworms, pinworms (adults and fourth developmental stage), adults and third and fourth larval stage of roundworms, microfilariae, intestinal strongyles (adults), stomach nematodes (adults), gastrointestinal stages of botfly larvae, lungworms (adults and fourth developmental stage)

Pack size: 1 × 7 ml, 10 × 7 ml



BLUE repellent applied to horses

A unique combination of highly effective repellent substances – DEET; IR 3535; pyrethrins, pyrethroids and geraniol. The repellent is effective against biting insects including gnats, mosquitoes, black flies and horseflies

Pack size: 750 ml



GREEN repellent applied to horses

A unique combination of highly effective natural oils (Gerosil 9) with a high repellent effect. The repellent is effective against biting insects including gnats, mosquitoes, black flies, biting midges and horseflies.

Pack size: 750 ml

ANTIPARASITICS



BLACK HORSE spray

Extra effective insecticide in spray form enriched with bioadhesive polymer to significantly prolong the effect.

Active substances: prallethrin, phenothrin, Chrysanthemum cinerariaefolium extract, Tanacetum cinerariifolium extract, piperonyl.geraniol, beech tar

Quick and radical insecticide effect against biting insects including gnats, mosquitoes, black flies, biting midges and horseflies.

Package: 670ml



TOP SPOT ON STRONGER 16,25 g

spot-on solution for horses

Spot-on solution containing permethrin.

Each vial (25 ml equivalent to one dose) contains permethrin 16.25 g.

Indications: Therapeutic and preventive use in horses against ectoparasites and flying insects (ticks, gnats, horseflies, botflies and black flies).

Pack size: 25 ml

ANAESTHETICS



Narkamon 50 mg/ml

Ketamine formulation at a 5% concentration.

Each ml of the product contains ketamine (as hydrochloride) 50 mg

Indications: As a monoanaesthetic for shorter surgical procedures that do not require myorelaxation (reduced muscle tone). In combination with tranquilisers (soothing medicines), injectable or inhalation anaesthetics (desensitisers) for most of medium and more demanding procedures.

Pack size: 50 ml



Narkamon 100 mg/ml

Ketamine formulation at a 10% concentration

Each ml of the product contains ketamine (as hydrochloride) 100 mg

Indications: For short-term narcosis in horses, cattle, pigs, sheep, goats, wild animals and other animals for diagnostic and therapeutic interventions.

Pack size: 10 ml, 50 ml

ANAESTHETICS



Rometar 20 mg/ml

Xylazine-containing solution for injection for sedation, analgesia and myorelaxation of animals. Each ml contains xylazine 20 mg (as xylazine hydrochloride 23.31 mg)

Indications: For sedation to examine animals or perform less painful procedures (e.g. to calm animals before transfers, weighing, X-raying, treatment of cloven hooves and removing foreign bodies from the oesophagus of large animals etc.).

Pack size: 50 ml



XYLASED 100 mg/ml

solution for injection

Xylazine-containing solution for injection for sedation, myorelaxation and analgesia in cattle and horses. Each ml of the solution for injection contains xylazine (as xylazine hydrochloride) - 100.0 mg

Indication: sedation, myorelaxation

Pack size: 10 ml, 50 ml



NALGOSED 10 mg/ml solution for injection

The product is indicated for the management of analgesia and sedation in horses and for the management of analgesia, sedation and preanaesthesia in dogs and cats.

Composition: Each ml contains butorphanol 10 mg (as butorphanol tartrate 14.58 mg)

Indications: As an analgesic: For relief of moderate to severe abdominal pain of gastrointestinal origin including a colic.

For sedation after administration of certain alpha2-adrenoceptor (detomidine hydrochloride, romifidine). Sedation in therapeutic and procedures in standing animals.

Pack size: 10 ml

ANTIBIOTICS

COTRIMAZIN BIOVETA 288,2/58,0 mg/g

Oral paste for horses

Trimethoprim, sulfadiazinum

Antimicrobial paste for horses containing potentiated sulfonamide and apple flavour

Each gram of paste contains sulfadiazine 288.2 mg and trimethoprim 58.0 mg

Indications: Treatment of bacterial infections in horses (digestive tract infections - diarrhoea; respiratory tract infections - pneumonia, pleurisy; strangles, wounds, septicæmia, general infections).

The content of one applicator is intended for a horse weighing 600 kg.

Pack size: 1 × 54 g, 5 × 54 g.



HORMONAL PRODUCTS



ESTRON 250 µg/ml

solution for injection

Hormonal product with luteolytic effect

Each ml contains cloprostenol 250 µg (as sodium cloprostenol)

Indications: Oestrus induction and synchronisation in heifers, cows and mares. Anoestrus (silent oestrus, persistent dioestrus, embryonic necrosis, lactation anoestrus, termination of pseudopregnancy). Interruption of normal and pathological pregnancy (in the first half of pregnancy).

Pack size: 10 × 2 ml, 5 × 10 ml



OESTROPHAN 0,25 mg/ml

solution for injection

The product contains a synthetic analogue of prostaglandin F2α that reduces the plasma levels of progesterone. Each ml of the solution for injection contains cloprostenol (in the form of sodium salt) 0.25 mg

Indications: Interruption of normal and pathological pregnancy (in the first half of pregnancy). Functional disorders of ovaries, postpartum and post-service anoestrus, postparturient chronic endometritis, pyometra, interruption of normal or pathologic pregnancy in the first half of gravidity, combined therapy of follicular cysts (from day 10 after HCG or LHRH treatment, after a positive ovarian response has been revealed), induction of parturition.

Pack size: 1 × 10, 10 × 2 ml



OXYTOCIN BIO 5 IU/ml

solution for injection

Hormonal product for cows, mares, sheep, goats, sows and bitches

Each ml of the solution contains 5 IU of the active substance oxytocin.

Indications: To support delivery in case of primary and secondary depression of contractions and to accelerate the expulsive phase of delivery. During the puerperal period: depression of uterine muscle contractility: To stimulate involution in case of placenta retention and exometra (the product is administered immediately after delivery or caesareotomy and two to four hours later), to remove the pathological contents of uterus, endometritis, pyometra. Agalaxia in consequence of milk production disorder in all target species.

Pack size: 50 ml

DERMATOLOGICALS



ALAPTID veterinary ointment

Original dermatological with healing effects

Composition per 100 g – alaptid – 1 g

Indications: Veterinary cosmetic agent for application to the skin, to treat minor skin and mucous injuries, burns, abrasions, frostbites, bedsores

Pack size: 20 g



ALFADIN 10 mg/ml skin solution

Skin solution containing povidone iodine to disinfect the skin and mucous membranes

Each ml contains povidone iodine 10 mg (1%)

Indications: It is used for disinfection of the surgical, injection and castration field, disinfection of external female genitals, disinfection of the umbilical stump of newborns, for wound lavage. For surface disinfection of teats and mammary gland.

Pack size: 20 ml, 200 ml, 1000 ml



PIX-FAGI Bioveta 200 mg/g

Skin spray, solution

Veterinary dermatological and antipsoriatic

Composition of 1 gram – fagi pix 200 mg

Indications: Diseases of the hoof and foot where treatment with tar is indicated (horse hoof thrush, surface panaricum, etc.), hoof surgery, treatment of surface area abrasions and hoof defects, treatment following regular trimming of hoofs, fastening of hoof dressings and covering bandages.

Dermatomycoses of animals, especially in the early stages or during sequential therapy, when the drying properties of tar are manifested favourably.

Pack size: 160 g



JOINT NUTRITION



HYALURONAN BIOVETA

10 mg/ml solution for injection

Solution for intravenous injection with hyaluronan

Each ml of the solution for injection contains sodium hyaluronate 10 mg

Indications: Orthopedic - acute and chronic arthrosis, polyarthrosis, subacute and chronic arthritis, acute and chronic tendovaginitis, tendinosis and bursitis, osteochondrosis

Ophthalmologic - acute and chronic keratitis, conjunctivitis, keratoconjunctivitis, corneal ulcer, corneal injury

Pack size: 5 × 6 ml



HYALCHONDRO EC plus

feed supplement for horses

Oral emulsion containing a hyaluronan-chondroitin complex with manganese and vitamin E.

Indications: To strengthen and support the healthy development of the musculoskeletal system, to sports and racing horses before and during the

season as the unique combination of HCG and manganese positively influences the metabolism of collagen, the formation of body connective tissues, especially the formation of cartilage

To older and injured horses - a combination of HCG with vitamin E and manganese increases the resistance of the organism to stressful conditions and positively influences the course of osteoarthritis treatment

Pack size: 2 × 225 ml



ATLET BS

Comprehensive joint nutrition

Preparation in the form of oral powder with natural Boswellia serrata extract to reduce inflammation and pain.

Content of active substances per 1 kg:

Glucosamine sulfate - 400 g, hydrolysed collagen - 300 g, chondroitin sulfate - 150 g, Boswellia serrata extract - 65 g, sodium hyaluronate - 9 g

Pack size: 600 g



ATLET MSM

Comprehensive joint nutrition

Preparation in the form of oral powder flavoured with apple pectin containing anti-inflammatory MSM

Content of active substances per 1 kg:

Glucosamine sulfate – 355 g, chondroitin sulfate – 133 g, MSM – methylsulfonyl methane – 444 g

Pack size: 700 g

NUTRITIONAL SUPPLEMENTS



ADE – vit solution for injection

The solution for injection contains vitamin A, D₂ and E

Indications: Hypovitaminosis and avitaminosis A, D₂ and E; disorders of growth and metabolism of young domestic animals, increased susceptibility to infectious diseases of respiratory and digestive apparatus

Pack size: 100 ml, 500 ml



ENERGY BOOSTER BIOVETA

Supplementary feed to increase horse performance

A suspo-emulsion formulation with applicator in the form of a paste containing highly concentrated and quickly available nutrients, vitamins of groups B and E, lysine, methionine, iron, zinc and important electrolytes.

The paste provides horses with a fast and reliable supply of nutrients, minerals and vitamins that are important to their health and performance and the proper functioning of vital organs.

It contains no banned doping substances.

Pack size: 20 g



FRESH HORSE

oral gel for respiratory support and against muscle fatigue of the horse

Pleasant sweet gel with menthol flavour.

Each applicator contains L-carnitin, peppermint oil, anise oil, eucalyptus oil, sucralose, honey
Product with a unique combination of LACARTIN 5 active substances containing oils of peppermint, anise and eucalyptus to facilitate and support breathing, and L-carnitin to spare muscle glycogen and reduce lactate formation in muscles causing muscle fatigue

Pack size: 12,4 g

NUTRITIONAL SUPPLEMENTS



VITAPLASTIN forte

Mineral supplement enriched with trace elements and basic minerals

Target species: pig, horse, cattle, sheep, goat, dog, silver fox, rabbit, poultry and exotic birds

Indications: To supplement minerals in the feed ration

Pack size: 1 a 5 kg

OTHER



PENBITAL 400 mg/ml solution for injection

Solution for injection for painless and tranquil animal euthanasia.

Each ml of solution contains sodium pentobarbital 400.0 mg.

Indications: Intravenous or intracardiac euthanasia, intended for cattle, goats, sheep, pigs, horses, rabbits not intended for slaughter, dogs, cats and ferrets.

Pack size: 100 ml



SEDAN 35 mg / ml oral gel for horses and dogs

Active Substance: Acepromazine

Characteristics: Gel form of acepromazine

intended for safe tranquilization, sedation and anesthesiological premedication in horses with long-term effect. For per oral use.

Package: 10ml



SEDAN 10 mg / ml solution for injection

Active substance: Acepromazine

Characteristics: Injectable form of acepromazine intended for safe tranquilization, sedation and anesthesiological premedication in horses with long-term effect.

Package: 10ml and 50ml



WErespectANIMALS

VETERINARY MEDICAMENTS PRODUCER

Bioveta, a. s.

Komenského 212

683 23 Ivanovice na Hané

Czech Republic

tel.: +420 517 318 604

e-mail: obchod@bioveta.cz

www.bioveta.cz

In case of any professional questions please contact **MVDr. Kamila Růžičková**,
e-mail: ruzickova.kamila@bioveta.cz, mobile: +420 724 071 595

