















VETERINARY BIOLOGICS AND MEDICAMENTS FOR DOGS AND CATS

VACCINES FOR DOGS

VACCINES FOR CATS

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS

DERMATOLOGICAL PRODUCTS

OTOLOGICS PRODUCTS

ANALGETICS

VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES

DISINFECTING PRODUCTS

ANALEPTICS, ANAESTHETICS, HYPNOTICS

OTHER PRODUCTS



VETERINARY MEDICAMENTS PRODUCER

VACCINES FOR DOGS



Biocan Novel Puppy

Lyophilisate with solvent for injection for dogs Vaccine containing live strains CPV 2b and CDV intended to vaccinate puppies from 6 weeks of age **Composition:** Virus febris contagiosae canis, strain CDV Bio 11/A, live attenuated $10^{4.1}$ TCID₅₀ – $10^{5.5}$ TCID₅₀, Parvovirus canis typ 2b, strain CPV-2b Bio 12/B, live attenuated $10^{5.5}$ TCID₅₀ – $10^{7.0}$ TCID₅₀ **Indications:** For active imunization of dogs from 6 weeks of age **Package:** 10×1 dose



VACCINES FOR DOGS

Bocan NOVEL Pi/L4

Lyophilisate with solvent for injection Vaccine against canine parainfluenza and four Leptospira serovars (Canicola, Icterohaemorrhagiae, Grippothyposa and Bratislava) Indications: For active immunization of dogs from 6 weeks Package size: 10 × 1 dose



Biocan Puppy

Lyophilisate with solvent for injection Live canine distemper vaccine and inactivated canine parvovirus vaccine Indications: For active immunization of dogs against canine distemper and parvovirosis from 5 weeks of age Package size: 10 × 1 dose

ioan O ^r	Reperior A
Managarati (10 10-10 10-10 10-10

Biocan DP

Lyophilisate with solvent for injection Live vaccine against canine distemper virus (CDV) and canine parvovirus (CPV-2) Indications: For active immunization of dogs against canine distemper and parvovirosis from 6 weeks of age Package size: 10 × 1 dose



Biocan DHPPi

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza

from 6 weeks of age Package size: 10 × 1 dose



Biocan NOVEL DHPPi

Lyophilisate with solvent for injection Live vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus and canine parainfluenza virus. Indications: For active immunization of dogs

from 6 weeks of age **Package size:** 10 × 1 dose



Biocan NOVEL DHPPi/L4

Lyophilisate with solvent for injection Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus and four Leptospira serovars (Canicola, Icterohaemorrhagiae, Grippothyposa and Bratislava) Indications: For active immunization of dogs from 6 weeks of age Package size: 10 × 1 dose



Biocan NOVEL DHPPi/L4R

Lyophilisate with solvent for injection Vaccine against canine distemper virus, canine adenovirus type 1, canine adenovirus type 2, canine parvovirus, canine parainfluenza virus, four Leptospira serovars (Canicola, Icterohaemorrhagiae, Grippothyposa and Bratislava) and rabies. Indications: For active immunization of dogs from 8 weeks of age Package size: 10 × 1 dose

VACCINES FOR DOGS



Biocan DHPPi + L

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza and inactivated vaccine against canine leptospirosis inact.

(L. icterohaemorrhagiae, L. canicola, L. grippotyphosa)

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis and parainfluenza, and most common Leptospira serovars from 8 weeks of age **Package size:** 10 × 1 dose



Biocan DHPPi + LR

Lyophilisate with solvent for injection

Live vaccine against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis, parainfluenza and inactivated vaccine against leptospirosis and rabies.

Indications: For active immunization of dogs against canine distemper, inf. hepatitis, inf. laryngotracheitis, parvovirosis, parainfluenza, rabies and most common Leptospira serovars (*L. icterohaemorrhagiae*, *L. canicola*, *L. grippotyphosa*) from 12 weeks of age

Package size: 10 × 1 dose



Biocan LR

Suspension for injection Inactivated vaccine against canine Leptospira and

rabies infection Indications: For active immunization of dogs against rabies and Leptospira serovars contained in the vaccine from 12 weeks of age Package size: 10 × 1 dose



Biocan L

Suspension for injection Inactivated vaccine against canine Leptospira infection Indications: For active immunization of dogs against Leptospira (L. icterohaemorrhagiae, L. canicola, L. grippotyphosa) from 8 weeks of age Package size: 10 × 1 dose

Alern A Magan A

VACCINES FOR DOGS

Biocan R

Suspension for injection

Inactivated rabies vaccine Indications: For active immunization of dogs and other target animal species (cats, fur-bearing animals, cattle, horses, sheep, goats, pigs) against rabies from 12 weeks of age Package size: 10 × 1 dose, 10 × 10 doses



Biocan C

Suspension for injection

Inactivated vaccine against canine coronavirus infection Indications: For active immunization against canine coronavirus infection from 5 weeks of age

Package size: 10 × 1 dose



Biocan M Plus

Suspension for injection Inactivated vaccine against canine Microsporum canis Indications: For the prevention and therapy of canine dermatophytosis caused by *Microsporum canis* from 8 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



Biocan T

Suspension for injection Tetanus vaccine Indications: For active immunization of dogs against tetanus from 12 weeks Package size: 2 × 1 dose, 10 × 1 dose



Biocan B

Suspension for injection Inactivated vaccine against canine Lyme borreliosis

Indications: For active immunization of dogs against Lyme borreliosis from 12 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



Borrelym 3

Suspension for injection Vaccine against canine Lyme borreliosis Indications: For active immunization of dogs from 12 weeks of age to induce anti-OspA antibody response to Borrelia spp. (B. burgdorferi sensu stricto, B. garinii and B. afzelii)

Package size: 10 × 1 dose

VACCINES FOR CATS



Biofel B inj.

Suspension for injection Inactivated vaccine against Lyme borreliosis Indications: For active immunization of cats against Lyme borreliosis from 12 weeks of age Package size: 2 × 1 dose



Biofel M Plus

Suspension for injection Inactivated vaccine against feline Microsporum canis Indications: For the prevention and therapy of feline dermatophytosis caused by Microsporum canis from 8 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



Biofel PCH inj.

Inactivated vaccine against feline panleukopenia, herpesvirus and calicivirus infection Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection from 8 week of age Package size: 2 × 1 dose, 10 × 1 dose



Biofel PCHR inj.

Inactivated vaccine against feline panleukopenia, herpesvirus and calicivirus infection and rabies Indications: For active immunization of cats against panleukopenia, herpesvirus and calicivirus infection and rabies from 12 weeks of age Package size: 2 × 1 dose, 10 × 1 dose



ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



Antiparasitic CANISSHAMPOO

Antiparasitic dog shampoo Active substance: Permethrin Indications: Fine and gentle shampoo for hair care in all dog categories and breeds. Active against fleas and ticks. Package size: 200 ml

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



FIPRON spot-on for cats

50 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in cats Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days. Package size: 1 tube × 0.5 ml, 25 tubes × 0.5 ml



BIO KILL 2.5 mg/ml cutaneous spray, emulsion Ectoparasitic preparation for dogs, guinea pigs, hamsters and exotic birds Active substance: Permethrin Indications: Against fleas, lice, ticks and mites in dogs, guinea pigs, hamsters and exotic animals; against insects (ants, flies, spiders) and to disinsection pens and nests Package size: 100 ml, 500 ml



FIPRON spot-on for dogs S

67 mg spot-on solution Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 2–10 kg Active substance: Fipronil Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days. Package size: 1 tube × 0.67 ml, 25 tubes × 0.67 ml



Caniverm oral paste

Antiparasitic for dogs and cats Active substances: Fenbendazole, pyrantel, praziquantel Indications: Helminth diseases in dogs and cats Package size: 4 ml, 10 ml



FIPRON spot-on for dogs M

134 mg spot-on solution Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 10–20 kg Active substance: Fipronil Indications: Protection against fleas for up to 60

days, against ticks and biting lice for up to 30 days. **Package size:** 1 tube × 1.34 ml, 25 tubes × 1.34 ml



FIPRON spot-on for dogs L

268 mg spot-on solution Antiparasitic agent against fleas, ticks and biting lice in dogs weighing 20–40 kg Active substance: Fipronil Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days. Package size: 1 tube × 2.68 ml, 25 tubes × 2.68 ml

Caniverm forte tablets Caniverm mite tablets

Antiparasitic for dogs, cats, felids and canids Active substances: Fenbendazole, pyrantel, praziquantel



Indications: Diseases caused by ascarides and cestodes in dogs, cats, felids and canids Package size: forte: 2 tablets × 0.7 g,

forte: 2 tablets \times 0.7 g, 6 tablets \times 0.7 g, 100 tablets \times 0.7 g mite: 2 tablets \times 0.175 g 6 tablets \times 0.175 g 100 tablets \times 0,175 g



FIPRON spot-on for dogs XL

402 mg spot-on solution

Antiparasitic agent against fleas, ticks and biting lice in dogs over 40 kg

Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days. Package size: 1 tube × 4.02 ml, 25 tubes × 4.02 ml

ANTIPARASITIC PRODUCTS FOR DOGS AND CATS



FIPRON 2.5 mg/ml cutaneous spray, solution Antiparasitic against fleas, ticks and biting lice in dogs and cats Active substance: Fipronil

Indications: Protection against fleas for up to 60 days, against ticks and biting lice for up to 30 days. Package size: 100 ml, 250 ml



DERMATOLOGICAL PRODUCTS

ALAPTID veterinary ointment

Veterinary dermatologic with a healing effect on wounds

Active substance: Alaptide

Indication: Highly healing ointment. For use in all warm-blooded non-food animals to treat small skin and mucosa injuries, burns, abrasions, frostbites, bedsores, dog paws damaged by salted pavements in winter, etc.

Package size: 20 g

TOP SPOT ON DOG, spot-on solutions for dogs

Therapeutic and preventive use in dogs against ectoparasites – fleas and ticks.

Recommended dose of the TOP SPOT ON DOG provides protection against ticks infestation for 4 weeks and against fleas infestation for 3 months.



TOP SPOT ON DOG S, spot-on solution for dogs 1 applicator (1 ml) of the solution contains 650 mg permethrinum. For dogs under 15 kg.



TOP SPOT ON DOG M, spot-on solution for dogs 1 applicator (2 ml) of the solution contains 1300 mg permethrinum. For dogs from 15 to 30 kg.



TOP SPOT ON DOG L, spot-on solution for dogs 1 applicator (3 ml) of the solution contains 1950 mg permethrinum. For dogs over 30 kg.

Package size: 1 or 10 applicators



BIOPIROX 10 mg/ml cutaneous spray, solution

Antimycotic spray for local application Active substance: Piroctolamine Indications: Treatment of mycotic skin diseases induced by dermatophytic fungi in dogs, cats, fur-bearing and small animals Package size: 100 ml



BIODEXIN shampoo

Medicinal antiseptic containing shampoo for dogs and cats

Active substance: 4% chlorhexidine Indications: The strong antiseptic effect of chlorhexidine allows the use in cases where the washing, antiseptic and the deodorizing effect have to be combined.

Package size: 250 ml, 500 ml



OTOLOGICS PRODUCTS



BIODEXIN ear lotion, solution

Otological product, ear drops with chlorhexidine for dogs

Active substance: Chlorhexidine Indications: Ear cleaner with antibacterial effect. For application to the external auditory canal of dogs. Excellent bactericidal effect. Effective against candida. Anti-inflammatory effect.

Package size: 100 ml



OTIMIX ear drops, suspension

OTOLOGICS PRODUCTS

Otological product with the effective combination antibiotics and corticosteroids Active substances: polymyxin B, miconazole, prednisolone Indications: Treatment of acute forms of otitis externa in dogs Package size: 15 ml



OTOFIN ear solution, lotion

Cleaner for preventive care of the auditory canal of dogs and cats

Indications: Product dissolves earwax, effective in cleaning and drying the ear. Vegetable essential oils of marigold, lavender, basil and chamomile have calming and healing effects.

Package size: 100 ml



OTIPUR sol.

Traditional ear cleaner with antiseptic properties for dogs and cats Indications: For gentle cleaning of dog's or cat's ears.

Dissolves and removes cerumen and impurities. Excellent keratolytic effect. Antiseptic action. Package size: 60 g, 200 g



OTIBIOVIN ear drops, solution

Otological product with effective combination of antibiotics, disinfecting and soothing agents Active substances: Triamcinoloni acetonidum, Acidum salicylicum, Gentamicini sulfas, Carbethopendecinii bromidum

Indications: Otitis externa in dogs and cats caused by microorganisms sensitive t o the active substances in the product. Package size: 15 ml



VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES



ADE - vit. solution for injection

Solution for injection containing vitamins A, D2 and E intended for dogs and other target animal species (cattle, horses, pigs, sheep, goats and rabbits) Indications: Hypovitaminosis and avitaminosis A, D2 and E; growth and metabolism disorders in young domestic animals, myodystrophy in lambs and calves; rachitis, osteomalacia, disorders caused by low calcium level in the body, support of bone

fracture healing and proper tooth development, exudative epidermitis in piglets; adjunctive therapy of sterility of unknown etiology, prophylaxis of embryonic mortality and foetal development disorders in the prenatal period, etc. **Package size:** 100 ml, 500 ml

VITAMINS, JOINT NUTRITION, MINERAL ADDITIVES



Indications: Eliminates bad breath. Supports the functioning of the thyroid gland and the immune system. Improves skin and hair quality. Has antioxidant effects. Package: 90g



ATLET SIRUP

Food supplement for dogs and cats

Indication: Sirup for oral use to protect and regeneration of dogs and cats musculoskeletal system. It improves mobility and activity, relieves pain of joints and muscles, easy to apply. Package size: 250 ml

HYALCHONDRO DC PLUS

Food supplement for dogs

Hyaluronan – chondroitin complex with manganese and vitamin E.

Indications: Joint nutrition. Food supplement to support proper development and function of the locomotor system in all dog breeds. It is used in case of increased demands for the locomotor system of dogs during their growth, training or work, following injuries to support and restore the function of the locomotor system. Package size: 120 ml

PLASTIN



Mineral food supplement for dogs and other target species (pigs, poultry) Indications: The product is intended as a mineral supplement to daily feed intake. Package size: 1 kg, 5 kg

VITAPLASTIN FORTE

Mineral food supplement for dogs and other target species (horses, cattle, colts, calves, rabbits) Indications: The product is intended as a mineral and trace element supplement to daily feed intake. Package size: 1 kg, 5 kg

KELPA BIOVETA

Veterinary dietary supplement for



ANALEPTICS, ANAESTHETICS, HYPNOTICS



SEDAN 35 mg/ml

Peroral gel for horses and dogs Active substance: Acepromazinum Indications:

Horses and dogs sedations for reasons of restlessness, nervousness, tetanus, lumbago, fixation prior to examination and during treatment, before animal transport. Also acts as an antiemetic. **Package:** 1×10 ml



and other target species (horse, cattle, pigs, sheep, goats, wild animals, small animals and birds) for diagnostic and therapeutic procedures **Package size:** 10 ml, 50 ml

ROMETAR 20 mg/ml solution for injection

Injectable preparation containing xylazine Active substance: Xylazinum (ut Xylazini

hydrochloridum)

ANALEPTICS, ANAESTHETICS, HYPNOTICS

Indications: Depending on the dose, method of administration and animal species, the product has different sedative, analgesic, anaesthetic and muscle relaxant effects; target animal species: dogs, cats, horses, cattle and zoo animals (red deer, roe deer and fallow deer) Package size: 50 ml



NALGOSED 10 mg/ml

solution for injection The product contains butorphanol, an analgesic with an opioid, central action Active subsatance: Butorphanol 1 ml of the product contains butorphanol 10 mg Indication: The product is indicated for the management of analgesia and sedation in horses; for the management of analgesia, sedation and preanaesthesia in dogs and cats. Package: 10 ml



NARKAMON 50 mg/ml

solution for injection



Injectable 5% ketamine preparation Active substance: Ketaminum (ut hydrochloridum) Indications: Short-term narcosis of dogs, cats and other target species (horse, donkey) for diagnostic and therapeutic procedures Package size: 50 ml

NARKAMON 100 mg/ml

solution for injection

Injectable 10% ketamine preparation Active substance: Ketaminum (ut hydrochloridum) Indications: Short-term narcosis of dogs, cats





OTHER PRODUCTS



AMOXICILLIN Bioveta 150 mg/ml LA suspension for injection Injectable antibiotic for dogs and other target

animal species (cattle, sheep, pigs) Active substance: Amoxicillinum Indications: Treatment of diseases caused by patogens sensitive to amoxicillin in dogs, cattle, sheep and pigs. Package size: 100 ml, 250 ml



OTHER PRODUCTS

Hormonal product

Active substance: Oxytocinum Indications: To support delivery and puerperal period; to remove the pathological contents of the uterus; endometritis, pyometra and agalaxia in bitches, cows, mares, ewes, goats and sows. Package size: 50 ml



HYALURONAN Bioveta 10 mg/ml

solution for injection

Injectable hyaluronan for use in dogs, cats and horses in orthopaedics and ophthalmology Active substance: Natrii hyaluronas Indications: Orthopaedic indications (IV application) – arthrosis, polyarthrosis; subacute and chronic arthritis; tendovaginitis, tendinosis and bursitis; osteochondrosis. Ophthalmologic indications – acute and chronic keratitis; conjunctivitis, keratoconjunctivitis and other problems Package size: 5 × 6 ml



PENBITAL 400 mg/ml

injection solution Gentle preparation for euthanasia without adverse reactions containing pentobarbital **Composition:** Product contains pentobarbitalum natricum 400,0 mg (362,94 mg of pentobarbital) in one ml. **Indication:** Euthanasia.

Package: 100 ml.

OXYTOCIN BIO 5 IU/ml solution for injection

DISINFECTING PRODUCTS

ALFADIN 10 mg/ml skin solution

Disinfectant agains bacteria, viruses, mold and protozoa.

Active substances: *lodopovidonum* Indications: To skin and mucous membrane desinfect, for desinfection of operative, injection and castration fields, external genitalia, umbilicus veins of newborn animals, to wash the wound. For use in surface desinfection of teats, mammary glands

Package size: 20 ml, 200 ml, 1000 ml



IVASAN spray

Disinfecting agent effective against viruses, bacteria and fungi intended for use in veterinary and breeding facilities for direct spraying Active substances: Quarternary ammonium salts and PHMG

Indications: For the disinfection of surfaces, areas and objects such as cages, boxes, pet beds, toilets, toys, bowls or waterers. Removes odours, does not irritate mucosa or skin. No stains. Package size: 500 ml



ANALGETICS

MELOXICAM Bioveta 5 mg/ml injection solution for dogs and cats

NSAID drug in injection solution with rapid onset of analgetic and anti inflamatory effect for dogs and cats.

Actine substance: Meloxicamum 5 mg/ml Indications:

Dogs: Analgetic and anti inflamatory effect in musculosceletar, inflamatory diseases and as a analgetic drug after surgery.

Cats: As analgetic drug after soft tissue surgery. Package size: 10ml

MELOXICAM Bioveta 1,5 mg/ml peroral suspension for dogs

Anti inflammatory and analgesic drug in suspension

	1000	. 1
	-	
2		١1
REARCO		- 1
and the second	11	

(NSAID) for dogs form 6 weeks of age in orthopedic, surgery and anti inflammatory indications. Actine substance: Meloxicamum 1,5mg/ml Indications: Analgetic and anti inflamatory effect in musculosceletar, inflamatory diseases. Suspension for peroral application with 1 and 5ml applicators. Applicators are included. Package: 10, 100ml



IVASAN pets

Concentrated liquid product for the disinfection of all washable areas, surfaces and medical equipment in veterinary clinics, breeding utensils and equipment. Highly effective against viruses, bacteria and fungi. Active substances: Quarternary ammonium salts and PHMG

Indications: For cleaning floors, washing walls and surfaces of stalls, cotes and aviaries in households, shelters, rescue stations etc., for the disinfection of breeding utensils and equipment, for the disinfection of medical equipment. Removes odours, does not irritate mucosa or skin. No stains. Package size: 1 litre, 3 litres







WErespectANIMALS

VETERINARY MEDICAMENTS PRODUCER

Bioveta, a. s. Komenského 212 683 23 Ivanovice na Hané Czech Republic www.bioveta.cz







Product manager – companion animals

For further information contact: D.V.M. Ladislav Křoustek,

